

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 1. WEEK ENDING SATURDAY, JANUARY 4, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 4, 1896, was 21·0 per thousand of estimated population. This rate is 0·8 below that for the corresponding week of last year, but 1·0 above that for the previous week.

The lowest mortality was recorded in Perth, viz., 13·7 per thousand; and the highest in Greenock, viz., 26·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being 0·1 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 130, being 9 below the number for last week.

The Mean Temperature was 42°·7, being 7°·4 above that for the week immediately preceding, and 10°·1 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 4, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Jan. 4, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	774	614	1085	56·9	30·5	42·7	0·75
GLASGOW, . . .	11,861	705,052	59·443	9·70	374	315	578	56·9	32·9	44·9	0·91
EDINBURGH, . .	6,166	276,514	44·845	11·16	125	92	152	51·5	34·5	43·9	0·59
DUNDEE, . . .	4,162	161,620	38·832	12·00	76	69	101	48·9	32·8	40·3	0·41
ABERDEEN, . .	6,795	135,941	20·006	16·71	76	54	79	48·2	34·0	41·8	0·68
LEITH,	2,042	74,110	36·293	12·41	37	20	44	52·7	34·2	44·5	0·77
PAISLEY, . . .	3,538	72,902	20·605	16·47	27	25	53	51·0	33·3	44·0	0·64
GREENOCK, . .	1,440	61,781	42·903	11·41	45	31	53	50·2	30·5	43·1	1·15
PERTH,	2,122	30,427	14·339	19·74	14	8	25	51·0	31·0	39·4	0·88
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	910	630	1071	44·8	20·0	32·6	0·20

Week ending Saturday, JANUARY 4, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 4, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21.0	2.8	614	149	132	0	10	16	7	29	4	16	5	130	27	106	51	4
GLASGOW,	23.2	3.3	315	69	56	0	5	10	2	19	4	5	1	68	16	61	27	4
EDINBURGH,	17.3	1.9	92	25	29	0	1	1	3	1	0	4	2	13	1	16	15	0
DUNDEE, . .	22.2	2.6	69	23	15	0	1	2	0	2	0	3	0	22	6	14	3	0
ABERDEEN, .	20.7	3.4	54	18	10	0	0	2	0	5	0	2	1	6	3	4	2	0
LEITH, . . .	14.0	2.1	20	2	4	0	0	1	2	0	0	0	0	2	1	3	0	0
PAISLEY, . .	17.8	0.0	25	6	8	0	0	0	0	0	0	0	1	8	0	4	4	0
GREENOCK, .	26.1	5.9	31	5	7	0	3	0	0	2	0	2	0	11	0	2	0	0
PERTH, . . .	13.7	0.0	8	1	3	0	0	0	0	0	0	0	0	0	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 5, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21.8	2.8	630	122	133	2	38	8	11	9	5	8	7	147	31	110	52	8
GLASGOW, .	24.6	2.8	329	72	46	0	18	4	5	7	1	2	6	97	15	47	29	6
EDINBURGH,	20.3	1.7	107	17	30	2	2	2	1	0	1	1	1	17	4	26	13	0
DUNDEE, . .	14.6	1.6	45	10	12	0	2	0	0	1	0	2	0	10	3	6	3	0
ABERDEEN, .	22.9	7.0	59	11	18	0	13	0	2	0	1	2	0	7	2	9	1	1
LEITH, . . .	23.5	2.8	33	5	10	0	0	1	1	1	1	0	0	7	2	7	1	0
PAISLEY, . .	13.8	3.6	19	1	2	0	3	1	0	0	1	0	0	1	0	7	0	0
GREENOCK, .	20.1	0.8	24	4	9	0	0	0	0	0	0	1	0	5	2	4	3	1
PERTH, . . .	24.0	3.4	14	2	6	0	0	0	2	0	0	0	0	3	3	4	2	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 2. WEEK ENDING SATURDAY, JANUARY 11, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 11, 1896, was 19·6 per thousand of estimated population. This rate is 5·9 below that for the corresponding week of last year, and 1·4 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 12·6 per thousand; and the highest in Greenock, viz., 24·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 124, being 6 below the number for the previous week.

The Mean Temperature was 38°·3, being 4°·4 below that for the week immediately preceding, but 11°·8 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 11, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Jan. 11, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	933	573	469	53·7	25·0	38·3	0·04
GLASGOW, . . .	11,861	705,052	59·443	9·70	466	297	206	50·7	25·0	37·8	0·10
EDINBURGH, . .	6,166	276,514	44·845	11·16	136	90	53	47·8	30·5	38·7	0·02
DUNDEE, . . .	4,162	161,620	38·832	12·00	107	53	112	47·7	29·4	37·2	0·01
ABERDEEN, . .	6,795	135,941	20·006	16·71	79	52	21	47·4	30·0	38·0	0·02
LEITH,	2,042	74,110	36·293	12·41	47	18	9	47·7	31·9	39·4	0·00
PAISLEY, . . .	3,538	72,902	20·605	16·47	50	25	55	53·7	30·2	40·0	0·02
GREENOCK, . .	1,440	61,781	42·903	11·41	33	29	8	49·0	30·0	39·4	0·09
PERTH,	2,122	30,427	14·339	19·74	15	9	5	44·5	26·0	36·1	0·04
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	948	736	298	40·8	9·0	26·5	0·13

Week ending Saturday, JANUARY 11, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 11, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	19·6	2·2	573	116	137	0	14	2	2	23	3	19	7	124	16	94	41	3	
GLASGOW, .	21·9	2·4	297	57	66	0	6	0	1	17	2	7	5	71	6	52	22	3	
EDINBURGH,	16·9	1·9	90	18	28	0	1	1	1	1	1	5	1	17	1	21	7	0	
DUNDEE, . .	17·1	1·6	53	16	9	0	0	0	0	2	0	3	0	12	2	8	2	0	
ABERDEEN, .	19·9	1·9	52	9	15	0	0	0	0	2	0	3	0	9	4	3	4	0	
LEITH, . . .	12·6	0·7	18	5	3	0	0	1	0	0	0	0	0	4	1	1	2	0	
PAISLEY, . .	17·8	0·7	25	5	9	0	0	0	0	1	0	0	1	4	0	5	2	0	
GREENOCK, .	24·4	5·9	29	5	4	0	7	0	0	0	0	0	0	7	2	3	1	0	
PERTH, . . .	15·4	1·7	9	1	3	0	0	0	0	0	0	1	0	0	0	1	1	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 12, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	25·5	3·9	736	149	158	2	58	6	14	19	3	11	5	210	22	119	50	3
GLASGOW, .	28·7	3·9	384	72	74	0	28	3	3	15	1	2	3	130	12	57	27	2
EDINBURGH,	24·3	3·8	128	22	33	2	5	2	7	1	1	2	0	26	3	32	9	0
DUNDEE, . .	18·5	2·6	57	14	9	0	2	0	2	2	0	2	0	9	2	6	7	1
ABERDEEN, .	31·1	9·7	80	22	15	0	19	0	0	1	1	4	1	14	3	11	1	0
LEITH, . . .	14·2	1·4	20	4	7	0	0	0	2	0	0	0	1	6	1	3	3	0
PAISLEY, . .	21·8	2·2	30	5	8	0	2	1	0	0	0	0	0	9	0	6	1	0
GREENOCK, .	26·0	1·7	31	7	10	0	2	0	0	0	0	0	0	14	1	4	2	0
PERTH, . . .	10·3	1·7	6	3	2	0	0	0	0	0	0	1	0	2	0	0	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 3. WEEK ENDING SATURDAY, JANUARY 18, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 18, 1896, was 19·5 per thousand of estimated population. This rate is 8·8 below that for the corresponding week of last year, and 0·1 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 10·3 per thousand; and the highest in Dundee, viz., 22·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 133, being 9 above the number for the previous week.

The Mean Temperature was 40°·4, being 2°·1 above that for the week immediately preceding, and 4°·2 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 18, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Jan. 18, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	956	570	149	52·5	27·8	40·4	0·64
GLASGOW, . . .	11,861	705,052	59·443	9·70	481	285	74	52·2	30·7	42·3	0·85
EDINBURGH, . .	6,166	276,514	44·845	11·16	144	81	20	49·9	28·8	40·1	0·42
DUNDEE, . . .	4,162	161,620	38·832	12·00	99	70	22	51·8	27·8	38·8	0·43
ABERDEEN, . .	6,795	135,941	20·006	16·71	89	51	19	51·7	28·7	38·5	0·42
LEITH,	2,042	74,110	36·293	12·41	41	25	6	50·8	30·9	41·2	0·35
PAISLEY, . . .	3,538	72,902	20·605	16·47	60	29	2	51·3	32·2	41·8	0·43
GREENOCK, . .	1,440	61,781	42·903	11·41	31	23	3	49·8	32·0	40·9	1·83
PERTH,	2,122	30,427	14·339	19·74	11	6	3	52·5	28·5	39·7	0·41
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	971	817	128	43·2	19·0	36·2	1·19

Week ending Saturday, JANUARY 18, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, January 18, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	19·5	2·5	570	112	138	0	6	6	3	38	5	15	3	133	15	99	40	2
GLASGOW, .	21·0	3·0	285	58	62	0	2	5	0	22	2	9	2	71	7	57	19	2
EDINBURGH,	15·2	0·9	81	9	23	0	0	0	1	1	2	1	0	16	2	19	10	0
DUNDEE, . .	22·5	4·8	70	13	12	0	2	1	0	10	0	2	0	16	1	10	0	0
ABERDEEN, .	19·5	3·4	51	14	14	0	0	0	1	5	0	3	1	8	2	6	2	0
LEITH, . . .	17·5	1·4	25	8	7	0	0	0	1	0	1	0	0	6	3	1	4	0
PAISLEY, . .	20·7	0·0	29	4	7	0	0	0	0	0	0	0	0	7	0	2	3	0
GREENOCK, .	19·4	1·7	23	6	8	0	2	0	0	0	0	0	0	6	0	1	2	0
PERTH, . . .	10·3	0·0	6	0	5	0	0	0	0	0	0	0	0	3	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, January 19, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	28·3	3·5	817	170	196	3	45	7	9	19	5	12	10	225	31	137	62	4
GLASGOW, .	31·0	3·7	415	85	91	1	24	2	0	13	3	7	6	137	16	69	28	2
EDINBURGH,	28·9	4·0	152	27	41	2	13	1	3	1	0	1	2	36	5	33	24	2
DUNDEE, . .	26·9	1·0	83	22	22	0	0	1	1	1	0	0	1	17	5	9	4	0
ABERDEEN, .	21·0	5·1	54	10	14	0	6	2	1	1	1	2	0	7	2	7	0	0
LEITH, . . .	23·5	2·1	33	8	7	0	0	0	3	0	0	0	0	8	1	7	3	0
PAISLEY, . .	24·7	2·2	34	8	7	0	2	0	0	0	1	0	1	6	1	5	0	0
GREENOCK, .	31·8	5·0	38	9	10	0	0	1	1	3	0	1	0	13	1	6	3	0
PERTH, . . .	13·7	1·7	8	1	4	0	0	0	0	0	0	1	0	1	0	1	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 4. WEEK ENDING SATURDAY, JANUARY 25, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 25, 1896, was 20·1 per thousand of estimated population. This rate is 4·1 below that for the corresponding week of last year, but 0·6 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 15·4 per thousand; and the highest in Dundee, viz., 29·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·0 per thousand, being 0·5 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 134, being 1 above the number for last week.

The Mean Temperature was 38°·5, being 1°·9 below that for the week immediately preceding, but 4°·4 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 25, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Jan. 25, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	900	586	123	50·6	20·5	38·5	0·16
GLASGOW, . . .	11,861	705,052	59·443	9·70	460	279	56	50·2	21·7	39·8	0·19
EDINBURGH, . .	6,166	276,514	44·845	11·16	120	84	24	49·9	23·9	39·8	0·12
DUNDEE, . . .	4,162	161,620	38·832	12·00	90	91	7	47·5	22·2	36·5	0·12
ABERDEEN, . .	6,795	135,941	20·006	16·71	79	42	17	47·2	28·5	37·3	0·06
LEITH,	2,042	74,110	36·293	12·41	58	22	5	50·6	25·9	40·5	0·06
PAISLEY, . . .	3,538	72,902	20·605	16·47	35	29	5
GREENOCK, . .	1,440	61,781	42·903	11·41	41	26	6	49·5	25·5	39·0	0·43
PERTH,	2,122	30,427	14·339	19·74	17	13	3	50·0	20·5	36·5	0·14
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	914	698	123	44·0	25·5	34·1	0·32

Week ending Saturday, JANUARY 25, 1896.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the
Week ending Saturday, January 25, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·1	2·0	586	122	145	0	9	3	4	29	3	11	8	134	30	116	34	1
GLASGOW, .	20·6	1·8	279	54	53	0	5	1	0	13	1	4	3	66	19	60	22	0
EDINBURGH,	15·8	0·9	84	14	27	0	0	1	0	2	1	1	3	16	2	13	9	1
DUNDEE, . .	29·3	4·2	91	26	24	0	0	0	2	8	0	3	1	27	3	13	1	0
ABERDEEN, .	16·1	4·2	42	10	10	0	0	0	2	6	1	2	0	8	0	12	0	0
LEITH, . . .	15·4	0·7	22	5	9	0	0	1	0	0	0	0	1	1	3	7	0	0
PAISLEY, . .	20·7	0·7	29	3	13	0	0	0	0	0	0	1	0	8	0	6	1	0
GREENOCK, .	21·9	3·4	26	7	2	0	4	0	0	0	0	0	0	4	2	3	1	0
PERTH, . . .	22·2	0·0	13	3	7	0	0	0	0	0	0	0	0	4	1	2	0	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the
Week ending Saturday, January 26, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	24·2	3·2	698	123	159	2	42	9	5	18	5	11	7	179	21	132	57	1
GLASGOW, .	27·3	3·9	365	59	69	1	25	5	2	13	4	2	1	108	10	86	22	1
EDINBURGH,	22·1	3·4	116	17	26	0	10	3	2	1	1	1	3	29	4	20	22	0
DUNDEE, . .	20·1	1·0	62	19	18	0	0	0	0	1	0	2	0	11	2	5	3	0
ABERDEEN, .	19·4	3·1	50	12	13	0	7	0	0	0	0	1	0	8	1	9	3	0
LEITH, . . .	19·2	2·8	27	3	7	1	0	1	1	0	0	1	0	6	1	2	0	0
PAISLEY, . .	23·2	2·2	32	3	9	0	0	0	0	1	0	2	1	7	3	6	2	0
GREENOCK, .	26·0	3·4	31	6	11	0	0	0	0	2	0	2	0	8	0	1	5	0
PERTH, . . .	25·7	0·0	15	4	6	0	0	0	0	0	0	0	2	2	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 5. WEEK ENDING SATURDAY, FEBRUARY 1, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 1, 1896, was 19·5 per thousand of estimated population. This rate is 4·4 below that for the corresponding week of last year, and 0·6 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·2 per thousand; and the highest in Perth, viz., 25·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·7 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 111, being 23 below the number for last week.

The Mean Temperature was 42°·3, being 3°·8 above that for the week immediately preceding, and 12°·9 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 1, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Feb. 1, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	901	570	157	53·8	29·8	42·3	0·28
GLASGOW, . . .	11,861	705,052	59·443	9·70	455	264	70	52·9	35·3	43·8	0·61
EDINBURGH, . .	6,166	276,514	44·845	11·16	138	84	31	52·9	36·0	42·6	0·17
DUNDEE, . . .	4,162	161,620	38·832	12·00	93	77	18	51·4	32·2	40·9	0·20
ABERDEEN, . .	6,795	135,941	20·006	16·71	74	66	14	51·9	29·8	40·3	0·12
LEITH,	2,042	74,110	36·293	12·41	49	16	8	53·8	37·9	44·0	0·28
PAISLEY, . . .	3,538	72,902	20·605	16·47	46	30	8
GREENOCK, . .	1,440	61,781	42·903	11·41	33	18	2	51·2	34·0	42·2	2·21
PERTH,	2,122	30,427	14·339	19·74	13	15	6	52·0	32·0	42·2	0·37
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	873	690	154	40·0	13·2	29·4	0·41

Week ending Saturday, FEBRUARY 1, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, February 1, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19.5	2.7	570	119	131	0	2	10	6	37	7	17	5	111	15	102	32	0
GLASGOW, .	19.5	3.4	264	51	47	0	1	7	3	23	4	8	3	51	3	55	10	0
EDINBURGH,	15.8	1.3	84	16	24	0	0	1	2	1	1	2	0	13	7	14	17	0
DUNDEE, . .	24.8	3.2	77	23	14	0	1	0	0	5	1	3	1	23	4	12	2	0
ABERDEEN, .	25.2	2.7	66	15	24	0	0	0	0	5	0	2	0	14	0	14	1	0
LEITH, . . .	11.2	1.4	16	3	7	0	0	1	0	1	0	0	0	5	0	3	0	0
PAISLEY, . .	21.4	2.1	30	2	8	0	0	0	1	0	1	1	0	2	1	1	0	0
GREENOCK, .	15.2	3.4	18	6	1	0	0	1	0	2	0	1	1	2	0	2	1	0
PERTH, . . .	25.6	0.0	15	3	6	0	0	0	0	0	0	0	0	1	0	1	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, February 2, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	23.9	3.1	690	130	164	0	37	12	3	25	6	6	10	158	23	125	54	0
GLASGOW, .	26.5	3.8	354	73	67	0	15	7	2	21	3	3	6	92	10	66	28	0
EDINBURGH,	22.8	2.5	120	14	40	0	10	2	0	1	0	0	1	26	4	22	18	0
DUNDEE, . .	25.0	1.0	77	15	25	0	1	0	0	1	1	0	1	15	5	11	4	0
ABERDEEN, .	21.8	4.7	56	11	12	0	9	1	0	0	1	1	2	9	2	13	0	0
LEITH, . . .	13.5	0.0	19	5	6	0	0	0	0	0	0	0	0	4	1	3	1	0
PAISLEY, . .	15.3	2.9	21	6	1	0	1	2	0	0	0	1	0	5	1	5	2	0
GREENOCK, .	23.5	4.2	28	4	10	0	1	0	0	2	1	1	0	5	0	4	1	0
PERTH, . . .	25.7	1.7	15	2	3	0	0	0	1	0	0	0	0	2	0	1	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 6. WEEK ENDING SATURDAY, FEBRUARY 8, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 8, 1896, was 18·8 per thousand of estimated population. This rate is 7·4 below that for the corresponding week of last year, and 0·7 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 9·8 per thousand; and the highest in Paisley, viz., 25·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·1 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 105, being 6 below the number for last week.

The Mean Temperature was 44°·0, being 1°·7 above that for the week immediately preceding, and 17°·6 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 8, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Feb. 8, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	867	548	163	54·3	28·2	44·0	0·55
GLASGOW, . . .	11,861	705,052	59·443	9·70	447	260	80	52·0	35·9	45·5	0·98
EDINBURGH, . .	6,166	276,514	44·845	11·16	123	94	27	52·1	32·2	44·7	0·28
DUNDEE, . . .	4,162	161,620	38·832	12·00	91	55	13	53·6	30·0	42·2	0·19
ABERDEEN, . .	6,795	135,941	20·006	16·71	78	57	18	54·3	28·2	43·5	0·02
LEITH,	2,042	74,110	36·293	12·41	41	14	7	53·2	32·7	45·0	0·27
PAISLEY, . . .	3,538	72,902	20·605	16·47	43	36	7
GREENOCK, . .	1,440	61,781	42·903	11·41	31	25	5	50·7	35·7	44·1	1·66
PERTH,	2,122	30,427	14·339	19·74	13	7	6	54·2	31·0	43·2	0·44
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	833	757	125	39·9	2·0	26·4	0·22

Week ending Saturday, FEBRUARY 8, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, February 8, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pnen- monia & Pleurisy.	Violence.				
In Eight Towns,	18·8	2·6	548	89	131	0	4	6	10	32	8	17	1	105	19	123	24	0	
GLASGOW, .	19·2	2·7	260	32	55	0	2	3	2	17	5	8	1	58	11	59	9	0	
EDINBURGH,	17·7	0·8	94	9	27	0	0	0	3	1	0	0	0	15	3	23	12	0	
DUNDEE, . . .	17·7	2·6	55	16	12	0	0	0	0	4	1	3	0	7	1	16	2	0	
ABERDEEN, .	21·8	6·1	57	14	14	0	0	1	4	7	0	4	0	7	0	10	0	0	
LEITH, . . .	9·8	2·1	14	4	4	0	0	2	0	0	1	0	0	1	0	1	1	0	
PAISLEY, . .	25·7	3·6	36	7	11	0	0	0	1	2	1	1	0	8	3	12	0	0	
GREENOCK, .	21·0	3·4	25	6	3	0	2	0	0	1	0	1	0	7	1	0	0	0	
PERTH, . . .	12·0	0·0	7	1	5	0	0	0	0	0	0	0	0	2	0	2	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, February 9, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	26·2	2·8	757	133	188	3	26	4	7	27	6	8	4	210	26	138	43	7
GLASGOW, .	32·4	3·1	433	82	89	1	10	2	4	20	2	3	2	134	14	69	30	7
EDINBURGH,	20·5	2·5	108	17	33	2	4	1	1	1	3	1	0	25	4	29	10	0
DUNDEE, . .	17·5	1·6	54	5	12	0	1	0	0	2	1	1	0	15	4	15	0	0
ABERDEEN, .	21·4	4·7	55	9	16	0	9	0	0	1	0	2	0	7	1	8	1	0
LEITH, . . .	20·6	2·8	29	8	6	0	1	0	1	2	0	0	0	4	1	3	1	0
PAISLEY, . .	25·4	1·5	35	5	14	0	1	1	0	0	0	0	1	12	1	4	1	0
GREENOCK, .	26·0	2·5	31	7	12	0	0	0	1	1	0	1	1	9	1	5	0	0
PERTH, . . .	20·6	0·0	12	0	6	0	0	0	0	0	0	0	0	4	0	5	0	0

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 7. WEEK ENDING SATURDAY, FEBRUARY 15, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 15, 1896, was 19·1 per thousand of estimated population. This rate is 16·0 below that for the corresponding week of last year, but 0·3 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·9 per thousand; and the highest in Greenock, viz., 24·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·3 per thousand, being 0·3 below that for last week

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 101, being 4 below the number for the previous week.

The Mean Temperature was 46°·2, being 2°·2 above that for the week immediately preceding, and 21°·9 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 15, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Feb. 15, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	841	557	171	54·2	35·2	46·2	0·20
GLASGOW, . . .	11,861	705,052	59·443	9·70	414	271	95	53·0	37·0	46·6	0·23
EDINBURGH, . .	6,166	276,514	44·845	11·16	124	105	30	52·9	39·0	46·4	0·31
DUNDEE, . . .	4,162	161,620	38·832	12·00	89	61	12	52·1	37·7	45·2	0·03
ABERDEEN, . .	6,795	135,941	20·006	16·71	88	46	15	53·8	35·2	45·9	0·17
LEITH,	2,042	74,110	36·293	12·41	38	17	4	54·2	40·2	47·2	0·03
PAISLEY, . . .	3,538	72,902	20·605	16·47	44	19	4	51·2	38·0	46·7	0·06
GREENOCK, . .	1,440	61,781	42·903	11·41	30	29	6	51·7	39·0	45·8	0·09
PERTH,	2,122	30,427	14·339	19·74	14	9	5	53·2	37·5	46·0	0·08
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	927	1013	124	41·0	0·0	24·3	0·01

Week ending Saturday, FEBRUARY 15, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 15, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	19.1	2.3	557	114	126	0	5	7	5	30	5	14	4	101	23	112	40	1	
GLASGOW, .	20.0	2.5	271	55	49	0	1	2	3	18	2	8	1	54	14	55	18	1	
EDINBURGH,	19.7	1.5	105	18	27	0	3	0	0	2	3	0	1	15	3	32	16	0	
DUNDEE, . .	19.6	2.6	61	19	16	0	0	1	2	3	0	2	0	13	1	7	2	0	
ABERDEEN, .	17.6	3.1	46	11	15	0	0	3	0	3	0	2	1	9	1	6	1	0	
LEITH, . . .	11.9	0.0	17	3	4	0	0	0	0	0	0	0	1	3	0	2	0	0	
PAISLEY, . .	13.6	1.4	19	2	7	0	0	0	0	1	0	1	0	3	0	1	2	0	
GREENOCK, .	24.4	5.0	29	5	4	0	1	1	0	3	0	1	0	3	3	5	1	0	
PERTH, . . .	15.4	0.0	9	1	4	0	0	0	0	0	0	0	0	1	1	4	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 16, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	25.1	4.0	1013	187	278	1	46	6	6	33	6	17	5	340	29	158	83	3	
GLASGOW, .	43.0	5.2	576	104	142	1	23	4	4	25	4	9	4	221	15	82	55	3	
EDINBURGH,	26.8	2.5	141	24	45	0	9	1	1	1	1	0	0	50	5	25	20	0	
DUNDEE, . .	28.9	1.9	89	15	31	0	1	0	0	4	1	0	0	26	1	10	2	0	
ABERDEEN, .	22.5	5.1	62	16	14	0	12	0	0	0	0	2	1	11	1	14	2	0	
LEITH, . . .	22.1	1.4	31	7	11	0	0	0	0	1	0	1	0	4	0	4	2	0	
PAISLEY, . .	37.8	2.2	52	5	16	0	1	0	1	0	0	1	0	14	2	11	1	0	
GREENOCK, .	41.9	5.9	50	14	14	0	0	1	0	2	0	4	0	11	5	11	1	0	
PERTH, . . .	20.6	0.0	12	2	5	0	0	0	0	0	0	0	0	3	0	1	0	0	

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 8. WEEK ENDING SATURDAY, FEBRUARY 22, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 22, 1896, was 19·5 per thousand of estimated population. This rate is 21·6 below that for the corresponding week of last year, but 0·4 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 14·7 per thousand; and the highest in Dundee, viz., 21·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being 0·2 below that for last week

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 116, being 15 above the number for the previous week.

The Mean Temperature was 41°·4, being 1°·8 below that for the week immediately preceding, but 9°·9 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 22, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Feb. 22, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	930	570	182	53·2	26·5	41·4	0·36
GLASGOW, . . .	11,861	705,052	59·443	9·70	478	275	106	53·2	28·8	41·7	0·27
EDINBURGH, . .	6,166	276,514	44·845	11·16	150	99	26	51·0	28·5	41·5	0·27
DUNDEE, . . .	4,162	161,620	38·832	12·00	82	67	9	48·8	29·0	40·3	0·56
ABERDEEN, . .	6,795	135,941	20·006	16·71	75	49	16	50·3	30·2	41·2	0·63
LEITH,	2,042	74,110	36·293	12·41	47	21	6	52·5	30·1	41·8	0·31
PAISLEY, . . .	3,538	72,902	20·605	16·47	44	23	8	51·1	29·0	41·7	0·20
GREENOCK, . .	1,440	61,781	42·903	11·41	40	24	8	51·0	30·0	41·3	0·29
PERTH,	2,122	30,427	14·339	19·74	14	12	3	50·5	26·5	41·8	0·34
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	891	1186	157	49·9	6·0	31·5	0·06

Week ending Saturday, FEBRUARY 22, 1896.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, February 22, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·5	2·1	570	141	123	0	4	6	1	32	5	12	4	116	21	95	35	2
GLASGOW, .	20·3	2·0	275	71	50	0	2	2	1	16	2	4	1	58	9	42	12	1
EDINBURGH,	18·6	2·3	99	20	25	0	1	3	0	4	2	2	2	16	6	20	11	0
DUNDEE, . .	21·6	2·6	67	16	10	0	0	1	0	4	0	3	0	15	3	14	4	0
ABERDEEN, .	18·7	2·3	49	12	15	0	0	0	0	5	1	0	0	12	2	11	0	0
LEITH, . . .	14·7	1·4	21	6	6	0	0	0	0	1	0	1	1	4	1	4	2	0
PAISLEY, . .	16·4	1·4	23	8	6	0	0	0	0	1	0	1	0	2	0	3	1	0
GREENOCK, .	20·2	2·5	24	6	6	0	1	0	0	1	0	1	0	6	0	0	5	1
PERTH, . . .	20·5	0·0	12	2	5	0	0	0	0	0	0	0	0	3	0	1	0	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, February 23, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	41·1	4·1	1186	189	360	2	54	4	7	36	4	11	8	509	16	154	96	4
GLASGOW, .	51·0	4·6	683	103	196	0	18	2	4	30	3	5	6	340	6	79	53	4
EDINBURGH,	38·0	5·1	200	38	59	2	22	0	1	2	0	0	1	68	2	29	31	0
DUNDEE, . .	32·8	1·9	101	15	43	0	0	0	1	2	0	3	0	39	4	21	2	0
ABERDEEN, .	24·9	6·2	64	10	14	0	12	0	1	1	0	2	0	15	1	8	1	0
LEITH, . . .	29·9	2·1	42	6	14	0	1	1	0	0	0	1	0	10	2	2	2	0
PAISLEY, . .	32·7	1·5	45	8	19	0	1	1	0	0	0	0	0	20	0	9	5	0
GREENOCK, .	31·0	0·0	37	7	9	0	0	0	0	0	0	0	0	14	1	5	2	0
PERTH, . . .	24·0	3·4	14	2	6	0	0	0	0	1	1	0	1	3	0	1	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 9. WEEK ENDING SATURDAY, FEBRUARY 29, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 29, 1896, was 19·5 per thousand of estimated population. This rate is 23·3 below that for the corresponding week of last year, but exactly the same as that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 14·0 per thousand; and the highest in Dundee, viz., 20·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being 0·1 above that for last week

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 105, being 11 below the number for the previous week.

The Mean Temperature was 37°·4, being 4°·0 below that for the week immediately preceding, and 0°·2 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 29, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Feb. 29, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	918	570	167	51·0	25·2	37·4	0·39
GLASGOW, . . .	11,861	705,052	59·443	9·70	439	282	88	50·5	28·7	28·2	0·80
EDINBURGH, . .	6,166	276,514	44·845	11·16	144	100	33	49·0	27·7	36·9	0·25
DUNDEE, . . .	4,162	161,620	38·832	12·00	108	65	16	50·4	26·6	35·6	0·23
ABERDEEN, . .	6,795	135,941	20·006	16·71	88	53	16	45·1	31·0	37·6	0·05
LEITH,	2,042	74,110	36·293	12·41	40	20	4	49·6	28·9	37·7	0·18
PAISLEY, . . .	3,538	72,902	20·605	16·47	41	21	4	49·0	29·3	38·3	0·32
GREENOCK, . .	1,440	61,781	42·903	11·41	36	20	3	49·0	28·0	37·6	1·18
PERTH,	2,122	30,427	14·339	19·74	22	9	3	51·0	25·2	37·1	0·13
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	947	1236	212	49·9	24·5	37·6	0·26

Week ending Saturday, FEBRUARY 29, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 29, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	19·5	2·2	570	124	116	0	9	3	6	27	2	17	6	105	34	111	37	4	
GLASGOW, .	20·8	2·7	282	61	46	0	6	2	0	17	2	10	3	55	18	54	22	3	
EDINBURGH,	18·8	1·9	100	16	28	0	2	0	3	2	0	3	1	13	6	22	4	0	
DUNDEE, . .	20·9	1·3	65	14	13	0	0	0	0	2	0	2	0	19	3	13	2	0	
ABERDEEN, .	20·3	2·7	53	13	11	0	0	1	1	3	0	2	1	7	4	10	1	1	
LEITH, . . .	14·0	0·7	20	7	8	0	0	0	1	0	0	0	0	2	1	4	4	0	
PAISLEY, . .	15·0	1·4	21	4	2	0	0	0	1	1	0	0	0	5	1	1	1	0	
GREENOCK, .	16·8	2·5	20	5	4	0	1	0	0	2	0	0	1	2	1	3	1	0	
PERTH, . . .	15·4	0·0	9	4	4	0	0	0	0	0	0	0	0	2	0	4	2	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 2, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	42·8	4·0	1236	231	355	2	51	10	5	30	8	9	7	537	16	172	111	8	
GLASGOW, .	53·6	3·4	717	129	204	0	15	4	3	18	0	5	4	368	8	90	65	5	
EDINBURGH,	37·3	5·9	196	32	54	2	21	3	0	1	2	2	1	62	3	36	32	0	
DUNDEE, . .	36·0	2·6	111	25	25	0	0	1	1	3	2	1	0	44	0	15	6	0	
ABERDEEN, .	24·9	6·6	64	16	22	0	13	1	1	1	1	0	1	11	0	9	2	1	
LEITH, . . .	39·1	4·3	55	14	13	0	1	1	0	4	0	0	1	15	0	9	2	0	
PAISLEY, . .	30·5	2·2	42	7	10	0	1	0	0	0	2	0	0	16	1	5	0	0	
GREENOCK, .	26·0	4·2	31	6	13	0	0	0	0	3	1	1	0	13	1	5	3	0	
PERTH, . . .	34·3	0·0	20	2	14	0	0	0	0	0	0	0	0	8	3	3	1	2	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 10.

WEEK ENDING SATURDAY, MARCH 7, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 7, 1896, was 19·2 per thousand of estimated population. This rate is 21·7 below that for the corresponding week of last year, and 0·3 below that for the previous week of the present year.

The lowest mortality was recorded in Glasgow, viz., 18·2 per thousand; and the highest in Paisley, viz., 23·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being the same as that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 103, being 2 below the number for the previous week.

The Mean Temperature was 40°·3, being 2°·9 above that for the week immediately preceding, and 2°·1 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 7, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Mar. 7, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	951	560	221	50·8	27·4	40·3	1·10
GLASGOW, . . .	11,861	705,052	59·443	9·70	482	247	120	49·9	28·1	41·1	2·07
EDINBURGH, . .	6,166	276,514	44·845	11·16	149	101	36	48·6	29·4	40·3	0·73
DUNDEE, . . .	4,162	161,620	38·832	12·00	94	61	18	49·1	27·5	39·6	0·41
ABERDEEN, . .	6,795	135,941	20·006	16·71	84	52	19	50·6	27·4	39·6	0·49
LEITH,	2,042	74,110	36·293	12·41	48	29	5	48·9	30·9	41·0	0·67
PAISLEY, . . .	3,538	72,902	20·605	16·47	46	33	12	50·8	28·1	41·6	0·76
GREENOCK, . .	1,440	61,781	42·903	11·41	38	26	8	47·7	30·2	39·4	2·92
PERTH,	2,122	30,427	14·339	19·74	10	11	3	50·0	28·0	39·9	0·75
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	961	1180	147	51·9	24·0	38·2	0·32

Week ending Saturday, MARCH 7, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 7, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19.2	2.2	560	107	118	0	6	6	6	29	6	11	3	103	27	110	41	4
GLASGOW, .	18.2	2.1	247	44	40	0	3	3	2	15	1	5	0	50	13	50	21	4
EDINBURGH,	19.0	2.3	101	17	22	0	1	2	2	3	2	2	2	16	6	24	11	0
DUNDEE, . .	19.6	2.6	61	14	12	0	1	0	1	1	2	3	0	15	2	10	0	0
ABERDEEN, .	19.9	3.1	52	14	16	0	0	1	0	7	0	0	0	9	1	11	1	0
LEITH, . . .	20.4	0.7	29	6	9	0	0	0	0	1	0	0	0	5	1	2	3	0
PAISLEY, . .	23.5	2.9	33	6	11	0	0	0	0	2	1	1	1	3	3	8	3	0
GREENOCK, .	21.9	0.8	26	5	4	0	1	0	0	0	0	0	0	5	1	2	1	0
PERTH, . . .	18.8	1.7	11	1	4	0	0	0	1	0	0	0	0	0	0	3	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 9, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	40.9	5.0	1180	230	344	3	72	6	8	39	2	14	10	453	22	180	82	3
GLASGOW, .	43.9	4.0	588	118	158	1	11	4	1	31	0	5	3	265	8	92	37	3
EDINBURGH,	44.5	7.6	234	39	78	2	30	1	3	2	1	1	2	80	7	34	33	0
DUNDEE, . .	37.3	2.6	115	27	32	0	2	0	1	1	0	4	1	45	4	18	6	0
ABERDEEN, .	33.8	10.1	87	28	22	0	20	0	2	2	0	2	1	10	1	9	1	0
LEITH, . . .	37.7	7.1	53	7	12	0	7	1	0	2	0	0	2	20	0	6	2	0
PAISLEY, . .	37.0	1.5	51	4	26	0	2	0	0	0	0	0	1	20	0	14	3	0
GREENOCK, .	28.5	1.7	34	5	8	0	0	0	0	1	0	1	0	8	2	1	0	0
PERTH, . . .	30.9	5.1	18	2	8	0	0	0	1	0	1	1	0	5	0	6	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 11.

WEEK ENDING SATURDAY, MARCH 14, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 14, 1896, was 19·6 per thousand of estimated population. This rate is 15·5 below that for the corresponding week of last year, but 0·4 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 12·8 per thousand; and the highest in Perth, viz., 27·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 114, being 11 above the number for the previous week.

The Mean Temperature was 41°·1, being 0°·8 above that for the week immediately preceding, and 0°·1 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 14, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Mar. 14, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	948	571	180	55·9	29·0	41·1	0·34
GLASGOW, . . .	11,861	705,052	59·443	9·70	492	274	100	54·9	29·0	41·6	0·30
EDINBURGH, . .	6,166	276,514	44·845	11·16	139	101	27	52·3	29·9	41·2	0·17
DUNDEE, . . .	4,162	161,620	38·832	12·00	83	57	21	55·0	29·0	39·9	0·10
ABERDEEN, . .	6,795	135,941	20·006	16·71	78	58	12	53·8	29·1	39·9	0·61
LEITH,	2,042	74,110	36·293	12·41	57	30	6	53·7	32·6	42·1	0·38
PAISLEY, . . .	3,538	72,902	20·605	16·47	38	18	3	55·9	20·1	42·0	0·18
GREENOCK, . .	1,440	61,781	42·903	11·41	46	17	10	51·5	30·0	41·5	0·84
PERTH,	2,122	30,427	14·339	19·74	15	16	1	54·5	29·0	40·8	0·17
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	954	1014	127	58·7	28·8	41·0	0·46

Week ending Saturday, MARCH 14, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 14, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·6	2·5	571	108	113	1	9	7	3	35	6	12	2	114	23	108	34	3
GLASGOW, .	20·2	3·1	274	55	36	0	7	1	0	23	4	7	0	60	10	51	17	3
EDINBURGH,	19·0	1·9	101	18	31	*1	0	3	2	1	2	1	1	19	3	26	13	0
DUNDEE, . .	18·3	1·0	57	8	12	0	1	0	0	1	0	1	0	16	2	8	0	0
ABERDEEN, .	22·2	4·2	58	14	12	0	0	2	0	7	0	2	0	7	4	9	3	0
LEITH, . . .	21·1	0·7	30	7	6	0	0	1	0	0	0	0	1	3	2	6	1	0
PAISLEY, . .	12·8	0·7	18	1	5	0	0	0	0	1	0	0	0	6	0	5	0	0
GREENOCK, .	14·3	3·4	17	4	4	0	1	0	0	2	0	1	0	2	2	2	0	0
PERTH, . . .	27·4	1·7	16	1	7	0	0	0	1	0	0	0	0	1	0	1	0	0

*Chickenpox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 16, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	35·1	3·8	1014	176	268	1	48	10	4	22	3	22	2	383	24	140	67	2
GLASGOW, .	35·9	4·0	480	81	127	1	15	7	2	14	2	12	1	183	10	76	26	2
EDINBURGH,	45·8	5·5	241	29	66	0	19	2	0	1	1	6	1	88	6	29	33	0
DUNDEE, . .	28·2	2·3	87	20	24	0	1	0	0	4	0	2	0	37	3	13	0	0
ABERDEEN, .	18·7	2·3	48	18	10	0	4	0	0	2	0	0	0	15	2	2	1	0
LEITH, . . .	31·3	5·0	44	8	8	0	5	0	2	0	0	0	0	20	1	7	1	0
PAISLEY, . .	41·4	3·6	57	10	19	0	4	0	0	0	0	1	0	21	0	9	4	0
GREENOCK, .	31·0	1·7	37	7	5	0	0	1	0	1	0	0	0	15	2	2	2	0
PERTH, . . .	34·3	1·7	20	3	9	0	0	0	0	0	0	1	0	4	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 12. WEEK ENDING SATURDAY, MARCH 21, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 21, 1896, was 19·6 per thousand of estimated population. This rate is 11·6 below that for the corresponding week of last year, and the same as that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 10·7 per thousand; and the highest in Perth, viz., 27·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 114, being the same as the number for the previous week.

The Mean Temperature was 43°·0, being 1°·9 above that for the week immediately preceding, but 2°·8 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 21, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Mar. 21, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	924	572	141	55·6	31·6	43·0	0·99
GLASGOW, . . .	11,861	705,052	59·443	9·70	457	277	80	55·2	34·6	44·2	1·49
EDINBURGH, . .	6,166	276,514	44·845	11·16	155	95	13	54·3	34·6	43·4	0·62
DUNDEE, . . .	4,162	161,620	38·832	12·00	99	66	7	54·9	31·6	41·7	0·66
ABERDEEN, . .	6,795	135,941	20·006	16·71	79	61	15	52·4	32·1	42·8	0·49
LEITH,	2,042	74,110	36·293	12·41	46	18	10	54·5	35·1	44·1	0·29
PAISLEY, . . .	3,538	72,902	20·605	16·47	43	15	6	55·6	35·2	43·7	1·16
GREENOCK, . .	1,440	61,781	42·903	11·41	33	24	7	51·0	34·0	41·6	2·28
PERTH,	2,122	30,427	14·339	19·74	12	16	3	54·0	32·0	42·7	0·90
Corresponding Week of 1895.— Eight Towns.	38,126	1,500,435	39·355	11·92	1010	900	123	57·7	28·0	45·8	0·65

Week ending Saturday, MARCH 21, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, March 21, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·6	2·4	572	126	115	0	13	4	4	29	6	14	1	114	16	87	28	2
GLASGOW, .	20·4	3·1	277	60	39	0	10	2	1	20	5	4	0	60	8	41	16	1
EDINBURGH,	17·9	1·9	95	20	24	0	2	0	1	1	0	6	0	20	5	21	11	1
DUNDEE, . .	21·2	2·3	66	14	13	0	1	0	1	2	0	3	1	17	2	8	0	0
ABERDEEN, .	23·3	3·4	61	19	15	0	0	2	1	5	0	1	0	7	0	11	1	0
LEITH, . . .	12·6	0·7	18	4	6	0	0	0	0	1	0	0	0	3	0	1	0	0
PAISLEY, . .	10·7	0·0	15	2	3	0	0	0	0	0	0	0	0	2	1	1	0	0
GREENOCK, .	20·2	0·8	24	4	6	0	0	0	0	0	1	0	0	5	0	4	0	0
PERTH, . . .	27·4	0·0	16	3	9	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, March 23, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	31·2	4·0	900	176	233	0	56	5	9	27	1	17	6	307	18	146	48	1
GLASGOW, .	28·6	3·2	383	71	91	0	9	3	6	17	0	8	3	118	9	77	18	1
EDINBURGH,	40·9	5·3	215	41	58	0	19	2	1	2	0	4	2	82	6	31	22	0
DUNDEE, . .	27·9	1·3	86	17	29	0	1	0	1	0	0	2	0	36	1	14	3	0
ABERDEEN, .	27·2	4·7	70	14	17	0	9	0	0	3	0	0	0	19	2	10	1	0
LEITH, . . .	42·0	14·9	59	15	10	0	17	0	0	3	1	0	1	18	0	2	2	0
PAISLEY, . .	29·0	1·5	40	9	16	0	1	0	1	0	0	0	0	14	0	7	2	0
GREENOCK, .	25·1	3·4	30	4	4	0	0	0	0	2	0	2	0	12	0	2	0	0
PERTH, . . .	29·2	1·7	17	5	8	0	0	0	0	0	0	1	0	8	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 13.
WEEK ENDING SATURDAY, MARCH 28, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 28, 1896, was 18·9 per thousand of estimated population. This rate is 6·5 below that for the corresponding week of last year, and 0·7 below that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 13·8 per thousand; and the highest in Perth, viz., 25·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·8 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 105, being 9 below the number for the previous week.

The Mean Temperature was 44°·6, being 1°·6 above that for the week immediately preceding, and 3°·7 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 28, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Mar. 28, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	1004	552	145	56·1	29·0	44·6	0·37
GLASGOW, . . .	11,861	705,052	59·443	9·70	470	282	70	55·4	33·1	44·6	0·55
EDINBURGH, . .	6,166	276,514	44·845	11·16	185	93	26	56·1	32·9	44·6	0·04
DUNDEE, . . .	4,162	161,620	38·832	12·00	88	43	11	53·7	32·7	43·9	0·01
ABERDEEN, . .	6,795	135,941	20·006	16·71	100	48	14	55·2	34·2	45·0	0·47
LEITH,	2,042	74,110	36·293	12·41	52	26	8	54·8	34·5	45·1	0·14
PAISLEY, . . .	3,538	72,902	20·605	16·47	47	25	7	54·0	33·2	44·4	0·21
GREENOCK, . .	1,440	61,781	42·903	11·41	47	20	7	53·7	32·5	44·4	1·48
PERTH,	2,122	30,427	14·339	19·74	15	15	2	55·5	29·0	45·1	0·02
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	941	732	135	53·7	29·0	40·9	1·20

Week ending Saturday, MARCH 28, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 28, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·9	1·8	552	106	115	1	6	6	1	21	4	14	2	105	16	97	23	4
GLASGOW, .	20·8	2·7	282	56	53	*1	6	6	0	13	2	8	0	60	7	48	9	3
EDINBURGH,	17·5	0·6	93	15	21	0	0	0	0	0	1	2	0	16	1	20	8	0
DUNDEE, . .	13·8	0·6	43	8	10	0	0	0	0	1	0	1	0	7	1	5	2	0
ABERDEEN, .	18·4	2·3	48	11	10	0	0	0	0	4	0	2	0	7	4	9	2	1
LEITH, . . .	18·2	1·4	26	6	6	0	0	0	1	0	0	1	0	3	2	5	1	0
PAISLEY, . .	17·8	2·1	25	4	6	0	0	0	0	2	1	0	1	3	1	7	0	0
GREENOCK, .	16·8	0·8	20	4	4	0	0	0	0	1	0	0	1	6	0	1	1	0
PERTH, . . .	25·6	0·0	15	2	5	0	0	0	0	0	0	0	0	3	0	2	0	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 30, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	25·4	3·2	732	153	176	3	35	5	5	26	3	14	10	189	17	131	38	2
GLASGOW, .	24·9	2·2	333	75	67	*3	3	3	2	12	0	6	4	91	9	73	20	2
EDINBURGH,	23·4	4·0	123	23	29	0	15	0	1	1	1	3	1	28	4	17	11	0
DUNDEE, . .	23·1	2·6	71	17	17	0	1	0	0	4	1	2	2	18	3	14	3	0
ABERDEEN, .	30·3	5·1	78	13	33	0	6	2	1	2	1	1	0	19	0	12	1	0
LEITH, . . .	34·2	10·7	48	13	8	0	9	0	0	6	0	0	0	8	1	1	1	0
PAISLEY, . .	32·0	2·2	44	5	13	0	1	0	1	0	0	1	0	14	0	11	1	0
GREENOCK, .	18·4	1·7	22	4	4	0	0	0	0	1	0	1	3	7	0	2	1	0
PERTH, . . .	22·3	0·0	13	3	5	0	0	0	0	0	0	0	0	4	0	1	0	0

* One case of Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 14. WEEK ENDING SATURDAY, APRIL 4, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 4, 1896, was 18·7 per thousand of estimated population. This rate is 6·0 below that for the corresponding week of last year, and 0·2 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 10·5 per thousand; and the highest in Aberdeen, viz., 22·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 83, being 22 below the number for the previous week.

The Mean Temperature was 45°·5, being 0°·9 above that for the week immediately preceding, and 4°·2 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 4, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending April 4, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	884	545	233	60·1	27·0	45·5	0·12
GLASGOW, . . .	11,861	705,052	59·443	9·70	416	274	123	57·0	29·1	45·7	0·04
EDINBURGH, . .	6,166	276,514	44·845	11·16	135	71	44	59·4	30·3	45·7	0·20
DUNDEE, . . .	4,162	161,620	38·832	12·00	90	67	18	58·4	28·1	45·0	0·07
ABERDEEN, . .	6,795	135,941	20·006	16·71	83	58	11	57·4	23·1	45·5	0·37
LEITH,	2,042	74,110	36·293	12·41	45	15	17	59·6	32·9	46·3	0·18
PAISLEY, . . .	3,538	72,902	20·605	16·47	49	28	8	60·1	31·0	47·4	0·02
GREENOCK, . .	1,440	61,781	42·903	11·41	50	24	8	54·0	32·2	43·6	0·02
PERTH,	2,122	30,427	14·339	19·74	16	8	4	59·5	27·0	44·5	0·02
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	949	713	212	57·7	27·6	41·3	0·55

Week ending Saturday, APRIL 4, 1896.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, April 4, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18·7	2·1	545	102	139	0	8	5	4	21	6	17	4	83	26	108	37
GLASGOW, .	20·2	2·7	274	56	63	0	4	2	2	13	5	11	1	42	13	55	14
EDINBURGH,	13·4	1·3	71	13	22	0	0	2	1	1	1	2	1	12	1	20	10
DUNDEE, .	21·6	1·3	67	11	17	0	1	0	0	1	0	2	1	10	6	15	4
ABERDEEN, .	22·2	2·7	58	5	19	0	0	0	1	4	0	2	1	12	3	9	2
LEITH, . . .	10·5	0·7	15	3	2	0	0	1	0	0	0	0	0	2	0	0	1
PAISLEY, . .	20·0	0·7	28	6	7	0	0	0	0	1	0	0	0	5	1	6	2
GREENOCK, .	20·2	3·4	24	8	4	0	3	0	0	1	0	0	0	0	2	2	4
PERTH, . . .	13·7	0·0	8	0	5	0	0	0	0	0	0	0	0	0	0	1	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, April 6, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	24·7	2·6	713	117	173	4	22	2	2	25	3	17	3	186	20	132	42
GLASGOW, .	25·5	2·2	341	52	63	*3	3	1	1	13	0	9	3	86	11	66	23
EDINBURGH,	20·0	2·3	105	17	29	1	7	1	0	1	1	1	0	27	3	25	13
DUNDEE, . .	26·6	2·9	82	12	30	0	0	0	0	5	2	2	0	20	0	17	0
ABERDEEN, .	30·3	3·9	78	17	27	0	7	0	0	1	0	2	0	20	0	6	0
LEITH, . . .	24·9	5·7	35	7	4	0	3	0	0	4	0	1	0	9	2	6	3
PAISLEY, . .	23·2	2·2	32	8	12	0	2	0	0	0	0	1	0	9	1	6	1
GREENOCK, .	24·3	0·8	29	3	4	0	0	0	0	1	0	0	0	11	3	4	2
PERTH, . . .	18·9	3·4	11	1	4	0	0	0	1	0	0	1	0	4	0	2	0

* One case of Chicken-pox.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 15. WEEK ENDING SATURDAY, APRIL 11, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 11, 1896, was 19·7 per thousand of estimated population. This rate is 5·0 below that for the corresponding week of last year, but 1·0 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 12·1 per thousand; and the highest in Perth, viz., 27·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·1 per thousand, being 1·0 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 106, being 23 above the number for the previous week.

The Mean Temperature was 50°·1, being 4°·6 above that for the week immediately preceding, and 5°·3 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 11, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending April 11, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	1041	576	293	65·2	34·0	50·1	0·37
GLASGOW, . . .	11,861	705,052	59·443	9·70	511	291	154	60·0	36·0	50·0	0·88
EDINBURGH, . .	6,166	276,514	44·845	11·16	183	99	50	59·0	36·0	49·8	0·23
DUNDEE, . . .	4,162	161,620	38·832	12·00	85	67	30	60·6	35·5	49·9	0·14
ABERDEEN, . .	6,795	135,941	20·006	16·71	80	34	19	65·2	35·4	50·9	0·11
LEITH,	2,042	74,110	36·293	12·41	63	31	11	59·8	36·1	50·5	0·31
PAISLEY, . . .	3,538	72,902	20·605	16·47	42	17	11	59·5	36·2	49·7	0·14
GREENOCK, . .	1,440	61,781	42·903	11·41	50	21	15	57·7	34·0	49·2	0·65
PERTH,	2,122	30,427	14·339	19·74	27	16	3	61·0	34·2	50·9	0·54
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	894	714	217	58·9	28·0	44·8	0·18

Week ending Saturday, APRIL 11, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 11, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·7	3·1	576	128	133	0	20	6	7	29	12	17	4	106	21	106	40	3
GLASGOW, .	21·5	3·5	291	66	54	0	9	2	3	18	7	8	2	63	8	56	16	3
EDINBURGH,	18·6	2·8	99	22	33	0	3	3	1	4	2	2	1	10	4	21	17	0
DUNDEE, . .	21·6	2·9	67	15	18	0	5	0	0	0	1	3	0	15	0	6	5	0
ABERDEEN, .	13·0	2·3	34	6	9	0	0	1	1	3	0	1	1	4	2	7	0	0
LEITH, . . .	21·8	2·1	31	4	12	0	0	0	1	1	1	0	0	7	5	3	1	0
PAISLEY, . .	12·1	3·6	17	4	1	0	1	0	0	3	1	0	0	3	0	7	0	0
GREENOCK, .	17·7	4·2	21	6	1	0	2	0	0	0	0	3	0	1	1	4	0	0
PERTH, . . .	27·4	1·7	16	5	5	0	0	0	1	0	0	0	0	3	1	2	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 13, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	24·7	3·0	714	148	147	0	30	6	3	30	4	15	5	156	18	108	52	2
GLASGOW, .	25·0	3·1	334	75	47	0	2	5	3	20	3	9	2	80	8	55	20	2
EDINBURGH,	21·1	2·7	111	19	32	0	10	1	0	2	0	1	2	22	2	25	24	0
DUNDEE, . .	25·0	1·6	77	14	21	0	1	0	0	2	0	2	0	15	2	11	1	0
ABERDEEN, .	31·1	3·9	80	16	25	0	6	0	0	1	0	3	0	16	3	10	3	0
LEITH, . . .	24·2	7·1	34	9	3	0	8	0	0	2	0	0	0	4	2	3	1	0
PAISLEY, . .	26·1	2·9	36	8	7	0	3	0	0	0	1	0	0	5	0	3	3	0
GREENOCK, .	25·1	2·5	30	4	9	0	0	0	0	3	0	0	0	8	1	0	0	0
PERTH, . . .	20·6	0·0	12	3	3	0	0	0	0	0	0	0	1	6	0	1	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 16. WEEK ENDING SATURDAY, APRIL 18, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 18, 1896, was 19·0 per thousand of estimated population. This rate is 2·7 below that for the corresponding week of last year, and 0·7 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·2 per thousand; and the highest in Paisley, viz., 24·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·9 per thousand, being 1·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 107, being 1 above the number for the previous week.

The Mean Temperature was 45°·1, being 5°·0 below that for the week immediately preceding, and 0°·1 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 18, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending April 18, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	1024	554	277	62·7	28·3	45·1	0·55
GLASGOW, . . .	11,861	705,052	59·443	9·70	517	270	128	57·9	28·3	44·8	0·67
EDINBURGH, . .	6,166	276,514	44·845	11·16	156	94	29	57·0	35·5	44·6	0·25
DUNDEE, . . .	4,162	161,620	38·832	12·00	84	58	79	59·3	33·2	44·1	0·47
ABERDEEN, . .	6,795	135,941	20·006	16·71	113	59	14	62·7	32·1	43·8	0·46
LEITH,	2,042	74,110	36·293	12·41	51	16	8	—	—	—	—
PAISLEY, . . .	3,538	72,902	20·605	16·47	38	34	9	57·2	31·1	45·0	0·35
GREENOCK, . .	1,440	61,781	42·903	11·41	41	14	5	53·0	33·0	42·5	1·11
PERTH,	2,122	30,427	14·339	19·74	24	9	5	61·0	34·2	51·0	0·54
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	1052	626	272	61·0	28·0	45·0	0·11

Week ending Saturday, APRIL 18, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 18, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·0	1·9	554	116	123	0	9	7	1	21	7	11	2	107	15	105	34	5
GLASGOW, .	19·9	2·0	270	62	48	0	7	2	1	10	3	4	0	50	4	52	16	5
EDINBURGH,	17·7	1·5	94	18	26	0	0	2	0	3	3	0	0	15	4	23	10	0
DUNDEE, . .	18·7	1·9	58	13	12	0	2	0	0	1	0	3	1	15	2	12	1	0
ABERDEEN, .	22·6	3·4	59	9	19	0	0	2	0	5	0	2	0	14	1	11	1	0
LEITH, . . .	11·2	0·7	16	5	6	0	0	0	0	0	0	1	0	4	2	2	0	0
PAISLEY, . .	24·3	2·1	34	4	7	0	0	1	0	2	0	0	0	8	0	4	3	0
GREENOCK, .	11·8	0·8	14	3	1	0	0	0	0	0	0	1	1	1	2	0	2	0
PERTH, . . .	15·4	1·7	9	2	4	0	0	0	0	0	1	0	0	0	0	1	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 20, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·7	2·7	626	127	123	9	32	4	7	17	0	10	1	131	18	106	27	2
GLASGOW, .	22·3	2·8	298	60	49	*8	5	3	3	14	0	5	0	61	12	52	14	2
EDINBURGH,	19·4	2·9	102	19	30	1	7	1	2	1	0	3	1	17	1	22	6	0
DUNDEE, . .	18·2	1·0	56	11	14	0	1	0	1	1	0	0	0	20	1	7	3	0
ABERDEEN, .	26·0	1·6	67	13	18	0	3	0	0	0	0	1	0	16	2	14	1	0
LEITH, . . .	24·9	7·8	35	10	7	0	10	0	0	1	0	0	0	6	0	2	2	0
PAISLEY, . .	23·2	3·6	32	6	1	0	5	0	0	0	0	0	0	4	1	5	1	0
GREENOCK, .	19·3	0·8	23	5	3	0	0	0	0	0	0	1	0	7	0	1	0	0
PERTH, . . .	22·3	3·4	13	3	1	0	1	0	1	0	0	0	0	0	1	3	0	0

* One case of Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 17. WEEK ENDING SATURDAY, APRIL 25, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 25, 1896, was 19·9 per thousand of estimated population. This rate is 0·7 below that for the corresponding week of last year, but 0·9 above that for the previous week of the present year. The lowest mortality was recorded in Aberdeen, viz., 16·1 per thousand; and the highest in Leith, viz., 22·5 per thousand. The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·3 per thousand, being 0·4 above that for last week. The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 118, being 11 above the number for the previous week. The Mean Temperature was 52°·0, being 6°·9 above that for the week immediately preceding, and 0°·9 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 25, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending April 25, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	1030	580	208	66·5	31·6	52·0	0·06
GLASGOW, . . .	11,861	705,052	59·443	9·70	532	280	92	65·5	35·0	52·4	0·04
EDINBURGH, . .	6,166	276,514	44·845	11·16	151	109	42	65·9	38·3	53·0	0·00
DUNDEE, . . .	4,162	161,620	38·832	12·00	108	53	17	64·8	35·6	51·6	0·12
ABERDEEN, . .	6,795	135,941	20·006	16·71	76	42	12	61·5	31·6	48·8	0·12
LEITH,	2,042	74,110	36·293	12·41	57	32	9	64·9	39·7	53·4	0·00
PAISLEY, . . .	3,538	72,902	20·605	16·47	46	28	18	63·3	37·0	53·0	0·01
GREENOCK, . .	1,440	61,781	42·903	11·41	41	25	11	62·5	39·8	51·6	0·19
PERTH,	2,122	30,427	14·339	19·74	19	11	7	66·5	32·0	52·2	0·03
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	958	594	235	62·8	38·5	51·1	0·79

Week ending Saturday, APRIL 25, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 25, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	19·9	2·3	580	136	135	0	9	10	2	30	4	12	2	118	9	103	36	2	
GLASGOW, .	20·7	2·6	280	74	49	0	5	4	0	21	2	3	0	60	5	44	14	1	
EDINBURGH,	20·5	1·3	109	15	37	0	0	2	0	2	1	2	2	24	1	29	11	0	
DUNDEE, . .	17·1	2·6	53	14	9	0	3	2	1	0	0	2	0	12	0	4	3	0	
ABERDEEN, .	16·1	1·9	42	7	10	0	0	0	0	4	0	1	0	12	2	10	0	0	
LEITH, . . .	22·5	2·1	32	11	12	0	0	1	1	0	0	1	0	7	0	3	1	0	
PAISLEY, . .	20·0	2·9	28	10	5	0	0	0	0	2	1	1	0	2	0	3	3	0	
GREENOCK, .	21·0	4·2	25	5	6	0	1	1	0	1	0	2	0	1	0	5	3	1	
PERTH, . . .	18·8	0·0	11	0	7	0	0	0	0	0	0	0	0	0	1	5	1	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 27, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	20·6	2·5	594	129	118	1	26	3	3	24	3	13	1	144	17	93	32	0	
GLASGOW, .	21·5	2·5	288	53	48	1	6	2	2	17	0	5	1	74	7	49	14	0	
EDINBURGH,	17·1	2·1	90	15	20	0	8	0	1	0	1	1	0	23	3	16	11	0	
DUNDEE, . .	19·2	1·9	59	15	13	0	1	0	0	2	1	2	0	9	4	5	2	0	
ABERDEEN, .	24·9	3·1	64	20	20	0	3	1	0	1	0	3	0	14	1	13	0	0	
LEITH, . . .	25·6	3·6	36	14	4	0	4	0	0	1	0	0	0	12	1	3	1	0	
PAISLEY, . .	18·9	3·6	26	5	3	0	3	0	0	0	1	1	0	4	1	2	1	0	
GREENOCK, .	15·1	2·5	18	7	4	0	0	0	0	3	0	0	0	4	0	0	3	0	
PERTH, . . .	22·3	3·4	13	0	6	0	1	0	0	0	0	1	0	4	0	5	0	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

18. WEEK ENDING SATURDAY, MAY 2, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 2, 1896, was 19·0 per thousand of estimated population. This rate is 1·9 below that for the corresponding week of last year, and 0·9 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·9 per thousand; and the highest in Paisley, viz., 22·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 86, being 32 below the number for the previous week.

The Mean Temperature was 47°·6, being 4°·4 below that for the week immediately preceding, and 1°·8 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 2, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending May 2, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	1046	556	375	63·2	34·0	47·6	0·35
GLASGOW, . . .	11,861	705,052	59·443	9·70	534	258	209	57·6	36·6	47·7	0·62
EDINBURGH, . .	6,166	276,514	44·845	11·16	164	94	63	56·9	36·9	47·9	0·31
DUNDEE, . . .	4,162	161,620	38·832	12·00	112	68	24	59·1	35·2	47·4	0·15
ABERDEEN, . .	6,795	135,941	20·006	16·71	79	52	28	60·7	25·1	47·3	0·48
LEITH,	2,042	74,110	36·293	12·41	59	17	18	57·3	28·9	48·1	0·32
PAISLEY, . . .	3,538	72,902	20·605	16·47	47	32	14	58·9	36·2	48·4	0·23
GREENOCK, . .	1,440	61,781	42·903	11·41	34	22	15	57·0	35·2	46·2	0·65
PERTH,	2,122	30,427	14·339	19·74	17	13	4	63·2	34·0	48·0	0·08
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	990	602	307	67·8	33·0	47·4	0·24

Week ending Saturday, MAY 2, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, May 2, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	19·0	2·6	556	115	100	0	11	6	2	30	9	18	2	86	15	116	52	1
GLASGOW, .	19·0	2·7	258	57	36	0	8	3	0	14	2	9	1	42	6	58	29	1
EDINBURGH,	17·7	2·1	94	15	21	0	0	0	1	4	2	4	0	11	5	26	15	0
DUNDEE, . .	21·9	2·9	68	14	12	0	2	2	0	2	1	2	0	14	1	4	5	0
ABERDEEN, .	19·9	3·4	52	13	16	0	0	1	0	7	0	1	0	6	1	11	0	0
LEITH, . . .	11·9	1·4	17	3	5	0	0	0	1	0	0	1	0	2	0	4	0	0
PAISLEY, . .	22·8	3·6	32	3	4	0	0	0	0	3	2	0	1	8	1	6	1	0
GREENOCK, .	18·5	3·4	22	7	2	0	1	0	0	0	2	1	0	2	1	5	1	0
PERTH, . . .	22·2	0·0	13	3	4	0	0	0	0	0	0	0	0	1	0	2	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, May 4, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	20·9	2·5	602	113	137	0	27	7	4	17	3	13	4	120	16	107	46	5
GLASGOW, .	22·3	2·5	299	57	59	0	6	4	2	14	1	6	3	59	9	51	21	4
EDINBURGH,	19·8	2·7	104	18	26	0	8	2	1	0	2	1	0	25	0	23	16	0
DUNDEE, . .	15·6	1·6	48	9	8	0	1	0	0	2	0	2	0	9	2	7	1	0
ABERDEEN, .	19·4	2·3	50	6	20	0	4	1	0	0	0	1	0	9	2	13	0	0
LEITH, . . .	22·8	4·3	32	5	10	0	6	0	0	0	0	0	0	7	1	5	1	0
PAISLEY, . .	17·4	1·5	24	5	2	0	2	0	0	0	0	0	0	6	0	3	2	0
GREENOCK, .	25·1	2·5	30	10	6	0	0	0	0	1	0	2	1	4	2	3	4	0
PERTH, . . .	25·7	3·4	15	3	6	0	0	0	1	0	0	1	0	1	0	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 19. WEEK ENDING SATURDAY, MAY 9, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 9, 1896, was 18·9 per thousand of estimated population. This rate is 0·2 above that for the corresponding week of last year, but 0·1 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 16·8 per thousand; and the highest in Paisley, viz., 22·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 104, being 18 above the number for the previous week.

The Mean Temperature was 53°·6, being 6°·0 above that for the week immediately preceding, and 0°·3 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 9, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending May 9, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	984	552	124	70·9	34·5	53·6	0·01
GLASGOW, . . .	11,861	705,052	59·443	9·70	485	265	58	70·9	35·2	55·0	0·00
EDINBURGH, . .	6,166	276,514	44·845	11·16	172	91	27	65·6	42·3	53·4	0·04
DUNDEE, . . .	4,162	161,620	38·832	12·00	107	64	15	66·7	38·0	52·8	0·00
ABERDEEN, . .	6,795	135,941	20·006	16·71	85	46	12	65·1	40·7	51·8	0·00
LEITH, . . .	2,042	74,110	36·293	12·41	46	25	2	64·7	42·0	52·2	0·02
PAISLEY, . . .	3,538	72,902	20·605	16·47	42	31	4	69·0	39·8	55·7	0·00
GREENOCK, . .	1,440	61,781	42·903	11·41	34	20	4	69·0	40·5	54·5	0·00
PERTH, . . .	2,122	30,427	14·339	19·74	13	10	2	69·5	34·5	53·2	0·00
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	947	540	80	73·1	36·0	53·3	0·01

Week ending Saturday, MAY 9, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 9, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18.9	2.4	552	102	98	0	11	3	3	25	14	13	6	104	22	96	26	5
GLASGOW, . .	19.5	2.9	265	48	37	0	7	0	1	17	6	8	1	52	11	44	16	3
EDINBURGH,	17.1	1.5	91	22	16	0	0	1	1	1	4	1	2	15	5	22	6	0
DUNDEE, . . .	20.6	2.9	64	11	13	0	3	0	1	2	2	1	0	15	2	12	2	1
ABERDEEN, . .	17.6	2.7	46	7	9	0	0	2	0	3	1	1	0	8	1	7	0	1
LEITH,	17.5	2.1	25	3	4	0	0	0	0	0	1	2	1	6	1	3	1	0
PAISLEY, . . .	22.1	1.4	31	9	12	0	0	0	0	2	0	0	0	2	0	6	1	0
GREENOCK, . .	16.8	0.8	20	2	2	0	1	0	0	0	0	0	1	3	2	1	0	0
PERTH,	17.1	0.0	10	0	5	0	0	0	0	0	0	0	1	3	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 11, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from														
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	18.7	2.0	540	110	128	2	30	2	0	17	3	5	3	95	26	105	33	1		
GLASGOW, .	18.4	1.4	246	53	52	1	3	2	0	12	0	1	1	56	9	46	20	0		
EDINBURGH,	16.5	2.1	87	12	21	1	8	0	0	0	1	1	1	9	4	25	6	1		
DUNDEE, . .	16.2	0.0	50	13	16	0	0	0	0	0	0	0	0	9	3	7	1	0		
ABERDEEN, .	21.0	3.1	54	14	18	0	5	0	0	1	1	1	1	6	3	10	1	0		
LEITH, . . .	27.8	8.5	39	7	6	0	9	0	0	2	1	0	0	5	4	6	3	0		
PAISLEY, . .	18.2	3.6	25	3	7	0	4	0	0	0	0	1	0	3	0	5	1	0		
GREENOCK, .	20.9	2.5	25	6	4	0	0	0	0	2	0	1	0	6	3	2	1	0		
PERTH, . . .	24.0	1.7	14	2	4	0	1	0	0	0	0	0	0	1	0	4	0	0		

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

o. 20. WEEK ENDING SATURDAY, MAY 16, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 16, 1896, was 19·3 per thousand of estimated population. This rate is 1·8 below that for the corresponding week of last year, but 0·4 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 11·8 per thousand; and the highest Glasgow, viz., 21·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 91, being 13 below the number for the previous week.

The Mean Temperature was 56°·1, being 2°·5 above that for the week immediately preceding, and 4°·4 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 16, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Proxi- mity in Yards.	Registered during the Week ending May 16, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	943	563	77	79·4	37·2	56·1	0·05
GLASGOW, . . .	11,861	705,052	59·443	9·70	454	286	36	77·9	39·9	56·9	0·04
EDINBURGH, . .	6,166	276,514	44·845	11·16	145	100	19	78·1	43·2	56·6	0·07
DUNDEE, . . .	4,162	161,620	38·832	12·00	97	52	11	78·4	39·8	54·6	0·01
ABERDEEN, . .	6,795	135,941	20·006	16·71	103	52	5	70·8	43·2	54·2	0·06
LEITH,	2,042	74,110	36·293	12·41	43	24	3	74·9	43·1	55·9	0·03
PAISLEY, . . .	3,538	72,902	20·605	16·47	40	26	1	79·4	41·3	58·2	0·02
GREENOCK, . .	1,440	61,781	42·903	11·41	47	14	0	74·5	42·5	57·4	0·02
PERTH,	2,122	30,427	14·339	19·74	14	9	2	75·0	37·2	55·4	0·13
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	988	608	70	72·0	34·0	51·7	0·22

Week ending Saturday, MAY 16, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 16, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.3	2.5	563	132	118	0	9	3	1	38	4	17	1	91	20	116	31	0
GLASGOW, .	21.1	3.2	286	73	53	0	6	2	0	24	2	10	0	54	10	51	11	0
EDINBURGH,	18.8	0.9	100	18	26	0	0	0	0	1	2	2	0	11	6	32	16	0
DUNDEE, . .	16.7	1.3	52	14	11	0	1	0	0	3	0	0	0	7	2	12	1	0
ABERDEEN, .	19.9	4.2	52	15	10	0	0	0	0	8	0	3	0	8	2	9	1	0
LEITH, . . .	16.8	2.1	24	2	6	0	0	1	0	1	0	1	0	0	0	7	0	0
PAISLEY, . .	18.5	1.4	26	6	6	0	1	0	0	1	0	0	1	7	0	4	2	0
GREENOCK, .	11.8	0.8	14	1	3	0	1	0	0	0	0	0	0	4	0	1	0	0
PERTH, . . .	15.4	3.4	9	3	3	0	0	0	1	0	0	1	0	0	0	0	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 18, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21.1	2.3	608	117	136	2	24	1	4	14	5	17	2	107	22	112	45	2
GLASGOW, .	22.5	2.5	301	61	59	1	7	1	2	11	1	10	0	61	7	54	22	2
EDINBURGH,	20.7	3.0	109	22	29	*1	6	0	1	0	3	5	2	15	5	18	16	0
DUNDEE, . .	23.4	1.6	72	11	15	0	2	0	1	1	0	1	0	10	6	18	2	0
ABERDEEN, .	14.8	0.4	38	7	13	0	0	0	0	1	0	0	0	4	2	8	0	0
LEITH, . . .	22.1	5.7	31	5	4	0	6	0	0	1	1	0	0	6	1	5	1	0
PAISLEY, . .	16.0	1.5	22	0	10	0	2	0	0	0	0	0	0	4	0	7	0	0
GREENOCK, .	20.1	0.0	24	8	4	0	0	0	0	0	0	0	0	5	1	0	3	0
PERTH, . . .	18.9	3.4	11	3	2	0	1	0	0	0	0	1	0	2	0	2	1	0

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 21.

WEEK ENDING SATURDAY, MAY 23, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 23, 1896, was 19·2 per thousand of estimated population. This rate is 1·0 below that for the corresponding week of last year, and 0·1 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 13·7 per thousand; and the highest in Greenock, viz., 22·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 106, being 15 above the number for the previous week.

The Mean Temperature was 54°·1, being 2°·0 below that for the week immediately preceding, but 3°·4 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 23, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending May 23, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	931	560	99	77·0	39·0	54·1	0·64
GLASGOW, . . .	11,861	705,052	59·443	9·70	425	283	44	68·4	40·6	54·1	0·85
EDINBURGH, . .	6,166	276,514	44·845	11·16	149	92	18	71·3	39·0	54·6	0·44
DUNDEE, . . .	4,162	161,620	38·832	12·00	108	54	9	76·2	41·2	54·4	0·75
ABERDEEN, . .	6,795	135,941	20·006	16·71	95	44	18	69·9	41·1	51·2	1·13
LEITH,	2,042	74,110	36·293	12·41	42	31	1	73·3	40·6	55·6	0·48
PAISLEY, . . .	3,538	72,902	20·605	16·47	50	21	1	70·1	41·7	55·2	0·36
GREENOCK, . .	1,440	61,781	42·903	11·41	41	27	8	65·0	41·0	52·6	0·69
PERTH,	2,122	30,427	14·339	19·74	21	8	0	77·0	43·0	54·7	0·38
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	898	584	73	68·0	36·5	50·7	0·39

Week ending Saturday, MAY 23, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 23, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	19·2	2·8	560	108	99	0	21	5	3	29	6	18	3	106	18	111	38	2	
GLASGOW, .	20·9	4·6	283	49	42	0	18	5	1	25	5	9	2	56	11	50	14	1	
EDINBURGH,	17·3	0·9	92	24	20	0	1	0	2	0	1	1	0	21	0	28	19	0	
DUNDEE, . .	17·4	1·6	54	9	7	0	2	0	0	0	0	3	0	5	2	12	0	0	
ABERDEEN, .	16·8	1·9	44	11	14	0	0	0	0	2	0	3	1	7	1	5	0	0	
LEITH, . . .	21·8	0·0	31	7	6	0	0	0	0	0	0	0	0	5	1	5	1	1	
PAISLEY, . .	15·0	2·1	21	4	6	0	0	0	0	2	0	1	0	5	2	5	2	0	
GREENOCK, .	22·7	0·0	27	3	2	0	0	0	0	0	0	0	0	6	1	5	1	0	
PERTH, . . .	13·7	1·7	8	1	2	0	0	0	0	0	0	1	0	1	0	1	1	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 25, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·2	2·2	584	114	113	0	18	4	3	17	3	19	4	99	12	100	43	3
GLASGOW, .	23·1	2·5	309	66	50	0	3	2	3	12	1	13	3	57	4	63	27	3
EDINBURGH,	15·2	1·5	80	14	16	0	3	2	0	1	1	1	0	12	2	16	11	0
DUNDEE, . .	19·8	2·6	61	13	13	0	2	0	0	2	0	4	0	6	1	6	1	0
ABERDEEN, .	23·3	2·3	60	12	15	0	4	0	0	1	1	0	0	8	3	10	3	0
LEITH, . . .	13·5	2·1	19	4	5	0	3	0	0	0	0	0	0	4	0	2	0	0
PAISLEY, . .	14·5	0·7	20	2	3	0	0	0	0	0	0	1	0	6	0	2	0	0
GREENOCK, .	20·1	1·7	24	2	7	0	1	0	0	1	0	0	1	4	2	1	1	0
PERTH, . . .	18·9	3·4	11	1	4	0	2	0	0	0	0	0	0	2	0	0	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 22. WEEK ENDING SATURDAY, MAY 30, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 30, 1896, was 19·2 per thousand of estimated population. This rate is 2·2 below that for the corresponding week of last year, and exactly the same as that for the previous week of the present year. The lowest mortality was recorded in Greenock, viz., 14·3 per thousand; and the highest in Perth, viz., 27·4 per thousand. The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being the same as for last week. The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 94, being 12 below the number for the previous week. The Mean Temperature was 56°·1, being 2°·0 above that for the week immediately preceding, but 2°·3 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 30, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending May 30, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	1003	560	101	76·9	38·8	56·1	0·01
GLASGOW, . . .	11,861	705,052	59·443	9·70	496	283	37	71·9	43·4	57·3	0·02
EDINBURGH, . .	6,166	276,514	44·845	11·16	182	81	14	71·4	43·5	56·8	0·02
DUNDEE, . . .	4,162	161,620	38·832	12·00	90	70	16	67·8	42·4	55·5	0·00
ABERDEEN, . .	6,795	135,941	20·006	16·71	88	44	17	65·7	41·6	53·1	0·04
LEITH,	2,042	74,110	36·293	12·41	49	24	3	72·0	44·0	56·5	0·01
PAISLEY, . . .	3,538	72,902	20·605	16·47	52	25	4	76·9	44·0	58·5	0·00
GREENOCK, . .	1,440	61,781	42·903	11·41	40	17	10	69·2	42·5	55·2	0·00
PERTH,	2,122	30,427	14·339	19·74	6	16	0	72·5	38·8	56·2	0·00
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	936	617	117	79·9	40·9	58·4	0·11

Week ending Saturday, MAY 30, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 30, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·2	2·8	560	109	111	0	20	6	3	27	10	17	3	94	22	114	33	0
GLASGOW, .	20·9	3·8	283	56	47	0	19	1	2	17	6	6	1	49	12	58	13	0
EDINBURGH,	15·2	2·3	81	15	18	0	0	2	0	4	2	4	0	13	2	23	12	0
DUNDEE, . .	22·5	2·6	70	10	20	0	1	1	0	0	1	5	1	8	3	13	0	0
ABERDEEN, .	16·8	1·9	44	9	9	0	0	0	0	3	1	1	0	9	2	8	0	0
LEITH, . . .	16·8	1·4	24	6	3	0	0	0	1	0	0	1	0	4	1	2	4	0
PAISLEY, . .	17·8	2·1	25	7	8	0	0	0	0	3	0	0	1	4	1	5	1	0
GREENOCK, .	14·3	1·7	17	1	2	0	0	2	0	0	0	0	0	4	1	1	2	0
PERTH, . . .	27·4	0·0	16	5	4	0	0	0	0	0	0	0	0	3	0	4	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 1, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·4	2·1	617	104	124	0	12	0	8	17	6	17	1	117	19	129	43	2
GLASGOW, .	22·0	2·4	294	48	46	0	2	0	5	16	3	6	1	67	9	51	18	2
EDINBURGH,	22·2	1·9	117	17	28	0	5	0	2	0	1	2	0	20	3	37	11	0
DUNDEE, . .	26·0	2·9	80	15	18	0	1	0	0	0	1	7	0	14	2	13	4	0
ABERDEEN, .	16·7	0·8	43	10	11	0	0	0	1	0	0	1	0	3	2	9	4	0
LEITH, . . .	14·9	2·1	21	8	5	0	2	0	0	1	0	0	0	3	1	4	0	0
PAISLEY, . .	20·3	0·7	28	2	7	0	1	0	0	0	0	0	0	7	2	8	2	0
GREENOCK, .	20·1	0·8	24	3	7	0	0	0	0	0	0	1	0	2	0	3	4	0
PERTH, . . .	17·2	3·4	10	1	2	0	1	0	0	0	1	0	0	1	0	4	0	0

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 23. WEEK ENDING SATURDAY, JUNE 6, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 6, 1896, was 19·2 per thousand of estimated population. This rate is 0·5 below that for the corresponding week of last year, and the same as for the last two weeks of the present year.

The lowest mortality was recorded in Leith, viz., 14·7 per thousand; and the highest in Perth, viz., 22·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being the same as for the last two weeks.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 93, being 1 less than the number for the previous week.

The Mean Temperature was 54°·2, being 1°·9 below that for the week immediately preceding, and 5°·0 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 6, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending June 6, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	994	560	363	76·8	39·0	54·2	1·45
GLASGOW, . . .	11,861	705,052	59·443	9·70	519	291	146	72·3	42·2	54·8	2·17
EDINBURGH, . .	6,166	276,514	44·845	11·16	143	79	85	66·0	44·4	52·9	1·68
DUNDEE, . . .	4,162	161,620	38·832	12·00	111	60	34	76·8	42·0	54·5	0·74
ABERDEEN, . .	6,795	135,941	20·006	16·71	67	49	45
LEITH,	2,042	74,110	36·293	12·41	41	21	12	65·6	46·5	53·6	1·47
PAISLEY, . . .	3,538	72,902	20·605	16·47	59	25	20	71·2	43·0	54·5	1·05
GREENOCK, . .	1,440	61,781	42·903	11·41	37	22	10	67·5	44·0	53·8	1·90
PERTH,	2,122	30,427	14·339	19·74	17	13	11	75·5	39·0	55·0	1·17
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	915	567	379	82·6	41·3	59·2	0·06

Week ending Saturday, JUNE 6, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 6, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	19·2	2·8	560	118	111	0	25	8	4	26	4	14	0	93	18	122	36
GLASGOW, .	21·5	4·0	291	65	44	0	23	2	2	19	2	6	0	45	11	65	17
EDINBURGH,	14·9	0·9	79	16	29	0	1	1	1	0	1	1	0	12	3	18	15
DUNDEE, . .	19·3	1·3	60	18	9	0	1	1	0	1	0	1	0	11	1	11	3
ABERDEEN, .	18·7	2·3	49	6	15	0	0	2	1	2	0	1	0	7	1	12	0
LEITH, . . .	14·7	1·4	21	6	6	0	0	0	0	0	0	2	0	6	1	5	0
PAISLEY, . .	17·8	5·0	25	4	4	0	0	1	0	4	0	2	0	7	0	5	0
GREENOCK, .	18·5	2·5	22	3	3	0	0	1	0	0	1	1	0	3	1	2	1
PERTH, . . .	22·2	0·0	13	0	1	0	0	0	0	0	0	0	0	2	0	4	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 8, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	19·7	2·0	567	100	117	0	12	4	1	11	4	25	2	110	23	112	30
GLASGOW, .	20·7	1·9	277	45	55	0	4	3	0	6	2	11	1	65	12	52	14
EDINBURGH,	18·6	1·3	98	18	21	0	0	1	1	1	0	4	0	12	4	30	8
DUNDEE, . .	20·5	1·0	63	9	14	0	0	0	0	0	0	3	0	13	2	9	1
ABERDEEN, .	16·3	1·6	42	9	11	0	1	0	0	1	0	2	1	7	1	6	1
LEITH, . . .	15·7	2·1	22	6	1	0	1	0	0	2	0	0	0	4	1	2	3
PAISLEY, . .	18·2	4·4	25	6	6	0	1	0	0	0	1	4	0	3	1	6	1
GREENOCK, .	21·8	4·2	26	3	5	0	3	0	0	1	0	1	0	4	2	3	2
PERTH, . . .	24·0	5·1	14	4	4	0	2	0	0	0	1	0	0	2	0	4	0

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 24. WEEK ENDING SATURDAY, JUNE 13, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 13, 1896, was 18·5 per thousand of estimated population. This rate is 1·4 above that for the corresponding week of last year, but 0·7 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 12·0 per thousand; and the highest in Glasgow, viz., 21·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 80, being 13 below the number for the previous week.

The Mean Temperature was 56°·9, being 2°·7 above that for the week immediately preceding, and 4°·2 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 13, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending June 13, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	994	539	565	81·0	46·4	56·9	0·58
GLASGOW, . . .	11,861	705,052	59·443	9·70	490	287	292	81·0	49·0	59·6	0·52
EDINBURGH, . .	6,166	276,514	44·845	11·16	143	78	110	68·9	47·9	55·4	0·80
DUNDEE, . . .	4,162	161,620	38·832	12·00	92	51	35	71·8	46·4	56·0	0·61
ABERDEEN, . .	6,795	135,941	20·006	16·71	87	48	53
LEITH,	2,042	74,110	36·293	12·41	62	25	35	64·8	48·8	54·8	0·80
PAISLEY, . . .	3,538	72,902	20·605	16·47	57	24	23	78·1	49·1	59·4	0·31
GREENOCK, . .	1,440	61,781	42·903	11·41	46	19	9	72·0	47·0	57·0	0·53
PERTH,	2,122	30,427	14·339	19·74	17	7	8	73·5	47·0	55·9	0·49
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	994	492	567	74·2	34·0	52·7	0·17

Week ending Saturday, JUNE 13, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 13, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	18·5	2·4	539	99	118	0	21	4	1	23	4	16	2	80	23	118	32	3	
GLASGOW, .	21·2	3·6	287	63	57	0	20	2	0	17	4	6	1	43	10	61	24	3	
EDINBURGH,	14·7	0·9	78	10	16	0	1	0	1	0	0	3	1	9	5	24	5	0	
DUNDEE, . .	16·4	1·0	51	9	16	0	0	0	0	0	0	3	0	11	0	9	1	0	
ABERDEEN, .	18·4	1·1	48	6	18	0	0	1	0	1	0	1	0	5	5	10	1	0	
LEITH, . . .	17·5	0·7	25	4	2	0	0	0	0	0	0	1	0	3	1	4	0	0	
PAISLEY, . .	17·1	4·3	24	4	4	0	0	0	0	4	0	2	0	2	1	6	0	0	
GREENOCK, .	16·0	1·7	19	2	2	0	0	1	0	1	0	0	0	3	1	3	0	0	
PERTH, . . .	12·0	0·0	7	1	3	0	0	0	0	0	0	0	0	4	0	1	1	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 15, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17·1	2·0	492	98	98	0	14	3	3	12	1	25	1	86	12	97	39	4
GLASGOW, .	17·3	1·9	231	47	46	0	5	2	1	6	0	11	0	43	7	49	22	4
EDINBURGH,	16·5	1·9	87	12	17	0	4	0	2	2	0	2	1	13	2	26	13	0
DUNDEE, . .	15·9	1·6	49	10	10	0	0	0	0	0	0	5	0	14	0	4	1	0
ABERDEEN, .	15·5	2·3	40	13	8	0	2	0	0	2	0	2	0	3	1	6	0	0
LEITH, . . .	14·2	1·4	20	5	4	0	0	1	0	0	0	1	0	4	0	3	0	0
PAISLEY, . .	18·2	3·6	25	3	6	0	1	0	0	1	0	3	0	4	1	4	2	0
GREENOCK, .	18·4	3·4	22	5	1	0	2	0	0	1	0	1	0	3	0	2	1	0
PERTH, . . .	30·9	1·7	18	3	6	0	0	0	0	0	1	0	0	2	1	3	0	0

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 25. WEEK ENDING SATURDAY, JUNE 20, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 20, 1896, was 18·9 per thousand of estimated population. This rate is 0·5 below that for the corresponding week of last year, but 0·4 above that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 15·6 per thousand ; and the highest in Greenock, viz., 24·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 86, being 6 above the number for the previous week.

The Mean Temperature was 60°·8, being 3°·9 above that for the week immediately preceding, and 7°·5 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 20, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending June 20, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	1051	553	488	82·7	49·5	60·8	0·79
GLASGOW, . . .	11,861	705,052	59·443	9·70	515	275	223	82·7	49·9	62·0	1·07
EDINBURGH, . .	6,166	276,514	44·845	11·16	164	83	120	75·5	50·6	60·5	0·40
DUNDEE, . . .	4,162	161,620	38·832	12·00	103	54	40	73·1	50·1	60·1	0·65
ABERDEEN, . .	6,795	135,941	20·006	16·71	114	44	45
LEITH,	2,042	74,110	36·293	12·41	48	32	15	71·3	51·8	59·7	0·42
PAISLEY, . . .	3,538	72,902	20·605	16·47	44	22	18	81·8	49·5	59·9	0·75
GREENOCK, . .	1,440	61,781	42·903	11·41	45	29	19	79·7	50·0	62·1	1·37
PERTH,	2,122	30,427	14·339	19·74	18	14	8	77·5	50·0	61·2	0·86
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	979	560	483	72·9	36·9	53·3	1·20

Week ending Saturday, JUNE 20, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 20, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·9	2·7	553	143	115	0	33	5	5	16	3	18	1	86	22	114	34	0
GLASGOW, .	20·3	3·5	275	74	45	0	26	1	2	13	0	5	1	54	12	57	15	0
EDINBURGH,	15·6	1·9	83	20	24	0	1	1	2	2	0	4	0	12	2	24	7	0
DUNDEE, . .	17·4	2·6	54	15	6	0	5	0	0	0	1	2	0	5	2	8	3	0
ABERDEEN, .	16·8	1·5	44	6	16	0	0	1	0	1	0	2	0	4	2	10	1	0
LEITH, . . .	22·5	2·1	32	7	9	0	0	2	1	0	0	0	0	3	1	2	3	0
PAISLEY, . .	15·7	1·4	22	7	3	0	0	0	0	0	1	1	0	2	0	4	0	0
GREENOCK, .	24·4	2·5	29	10	5	0	1	0	0	0	1	1	0	4	3	4	5	0
PERTH, . . .	23·9	5·1	14	4	7	0	0	0	0	0	0	3	0	2	0	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 22, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·4	2·6	560	125	105	1	14	7	4	20	4	26	2	92	19	104	41	1
GLASGOW, .	19·4	3·1	259	65	33	1	4	4	2	14	2	14	1	42	6	41	18	1
EDINBURGH,	19·4	1·9	102	16	28	0	2	2	2	1	0	3	1	15	7	25	12	0
DUNDEE, . .	17·5	2·3	54	17	7	0	1	0	0	1	1	4	0	9	2	11	4	0
ABERDEEN, .	19·8	1·6	51	10	10	0	0	1	0	1	0	2	0	10	2	14	3	0
LEITH, . . .	20·6	1·4	29	5	9	0	1	0	0	1	0	0	0	4	1	2	0	0
PAISLEY, . .	16·0	1·5	22	5	4	0	1	0	0	0	0	1	0	5	1	2	1	0
GREENOCK, .	24·3	6·7	29	6	7	0	4	0	0	2	1	1	0	5	0	4	3	0
PERTH, . . .	24·0	3·4	14	1	7	0	1	0	0	0	0	1	0	2	0	5	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 26.

WEEK ENDING SATURDAY, JUNE 27, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 27, 1896, was 17·1 per thousand of estimated population. This rate is 2·1 below that for the corresponding week of last year, and 1·8 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 12·0 per thousand; and the highest in Dundee, viz., 19·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 72, being 14 below the number for the previous week.

The Mean Temperature was 57°·8, being 3°·0 below that for the week immediately preceding, and 3°·2 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 27, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending June 27, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	949	500	426	76·8	45·0	57·8	0·45
GLASGOW, . . .	11,861	705,052	59·443	9·70	473	252	212	73·0	46·4	59·3	0·72
EDINBURGH, . .	6,166	276,514	44·845	11·16	138	77	90	72·8	45·0	58·0	0·53
DUNDEE, . . .	4,162	161,620	38·832	12·00	109	61	35	76·8	45·9	57·1	0·51
ABERDEEN, . .	6,795	135,941	20·006	16·71	81	40	40	69·0	45·0	54·5	0·37
LEITH,	2,042	74,110	36·293	12·41	50	19	21	73·9	46·0	59·0	0·39
PAISLEY, . . .	3,538	72,902	20·605	16·47	42	23	11	72·9	46·0	59·9	0·17
GREENOCK, . .	1,440	61,781	42·903	11·41	38	21	9	69·7	46·0	57·4	0·39
PERTH,	2,122	30,427	14·339	19·74	18	7	8	73·2	45·0	57·4	0·48
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	1008	555	385	82·0	41·2	61·0	0·62

Week ending Saturday, JUNE 27, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 27, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17·1	2·8	500	123	98	0	28	3	4	15	4	27	3	72	25	93	22	0
GLASGOW, .	18·6	4·1	252	69	42	0	27	1	1	10	3	14	1	44	11	46	13	0
EDINBURGH,	14·5	1·5	77	14	17	0	0	2	1	1	0	4	1	8	4	21	6	0
DUNDEE, . .	19·6	1·0	61	13	16	0	1	0	1	0	0	1	1	11	3	8	1	0
ABERDEEN, .	15·3	3·1	40	9	6	0	0	0	1	1	0	6	0	3	1	8	0	0
LEITH, . . .	13·3	1·4	19	5	5	0	0	0	0	0	1	1	0	2	1	2	0	0
PAISLEY, . .	16·4	2·1	23	7	4	0	0	0	0	3	0	0	0	1	0	4	2	0
GREENOCK, .	17·7	0·0	21	4	5	0	0	0	0	0	0	0	0	1	5	2	0	0
PERTH, . . .	12·0	1·7	7	2	3	0	0	0	0	0	0	1	0	2	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 29, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·2	2·7	555	137	121	0	14	1	3	9	3	48	3	96	15	96	25	2
GLASGOW, .	20·8	3·4	278	69	58	0	6	0	3	6	2	29	1	53	7	56	10	1
EDINBURGH,	17·5	1·3	92	18	24	0	0	1	0	2	1	3	1	14	4	20	8	0
DUNDEE, . .	16·9	2·3	52	16	9	0	1	0	0	0	0	6	0	8	0	4	2	1
ABERDEEN, .	19·8	1·6	51	13	10	0	0	0	0	0	0	4	1	5	1	7	3	0
LEITH, . . .	14·2	2·1	20	6	7	0	1	0	0	1	0	1	0	4	0	1	1	0
PAISLEY, . .	15·3	3·6	21	6	7	0	3	0	0	0	0	2	0	2	1	4	1	0
GREENOCK, .	20·9	3·4	25	5	3	0	2	0	0	0	0	2	0	3	1	0	0	0
PERTH, . . .	27·4	3·4	16	4	3	0	1	0	0	0	0	1	0	7	1	4	0	0

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 27. WEEK ENDING SATURDAY, JULY 4, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 4, 1896, was 18·8 per thousand of estimated population. This rate is 0·6 below that for the corresponding week of last year, but 1·7 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 12·6 per thousand; and the highest in Glasgow, viz., 21·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·7 per thousand, being an increase of 0·9 on that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 80, being 8 above the number for the previous week.

The Mean Temperature was 56°·9, being 0°·9 below that for the week immediately preceding, and 1°·8 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 4, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending July 4, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	914	548	474	76·2	41·0	56·9	0·35
GLASGOW, . . .	11,861	705,052	59·443	9·70	446	295	224	63·3	45·9	56·4	0·47
EDINBURGH, . .	6,166	276,514	44·845	11·16	146	82	95	65·1	47·0	56·7	0·29
DUNDEE, . . .	4,162	161,620	38·832	12·00	97	59	36	69·9	44·7	56·8	0·26
ABERDEEN, . .	6,795	135,941	20·006	16·71	87	33	34	74·0	41·0	56·4	0·40
LEITH,	2,042	74,110	36·293	12·41	48	25	30	65·8	48·9	58·0	0·25
PAISLEY, . . .	3,538	72,902	20·605	16·47	45	26	16	66·3	46·5	57·1	0·20
GREENOCK, . .	1,440	61,781	42·903	11·41	31	18	26	71·2	45·0	56·1	0·72
PERTH,	2,122	30,427	14·339	19·74	14	10	13	76·2	46·0	57·9	0·18
Corresponding Week of 1895.— Eight Towns.	38,126	1,500,435	39·355	11·92	935	560	357	76·1	40·0	58·7	0·60

Week ending Saturday, JULY 4, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, July 4, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·8	3·7	548	124	112	0	38	6	9	22	9	25	4	80	21	113	33	0
GLASGOW, .	21·8	5·5	295	68	41	0	33	4	6	16	5	11	3	39	11	60	13	0
EDINBURGH,	15·4	1·5	82	15	20	0	2	0	2	1	0	3	1	12	7	21	15	0
DUNDEE, . .	19·0	2·9	59	16	16	0	3	1	0	0	2	3	0	13	0	10	2	0
ABERDEEN, .	12·6	0·8	33	8	12	0	0	1	0	0	0	1	0	7	0	7	0	0
LEITH, . . .	17·5	5·6	25	8	5	0	0	0	1	0	1	6	0	4	0	4	1	0
PAISLEY, . .	18·5	4·3	26	4	9	0	0	0	0	5	1	0	0	2	0	7	1	0
GREENOCK, .	15·2	0·0	18	4	4	0	0	0	0	0	0	0	0	2	2	1	1	0
PERTH, . . .	17·1	1·7	10	1*	5	0	0	0	0	0	0	1	0	1	1	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, July 6, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	19·4	3·4	560	142	118	1	18	5	4	10	3	57	3	76	26	96	33	2	
GLASGOW, .	21·4	4·7	285	77	45	1	7	4	2	5	1	43	0	34	12	59	11	1	
EDINBURGH,	17·1	1·3	90	16	28	0	1	1	0	1	1	3	1	10	5	17	12	0	
DUNDEE, . .	17·2	1·0	53	14	9	0	0	0	0	1	0	2	0	12	4	8	2	1	
ABERDEEN, .	18·3	3·1	47	10	12	0	1	0	1	3	1	2	1	4	1	7	3	0	
LEITH, . . .	14·9	2·8	21	9	4	0	2	0	1	0	0	1	0	7	1	1	1	0	
PAISLEY, . .	18·9	5·8	26	7	10	0	5	0	0	0	0	3	0	1	1	1	2	0	
GREENOCK, .	25·1	3·4	30	9	5	0	2	0	0	0	0	2	1	7	2	1	2	0	
PERTH, . . .	13·7	1·7	8	0	5	0	0	0	0	0	0	1	0	1	0	2	0	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 28. WEEK ENDING SATURDAY, JULY 11, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 11, 1896, was 18·8 per thousand of estimated population. This rate is 1·5 below that for the corresponding week of last year, and the same as that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 14·9 per thousand; and the highest in Greenock, viz., 21·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·1 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 85, being 5 more than the number for last week.

The Mean Temperature was 58°·1, being 1°·2 above that for the week immediately preceding, and 0°·1 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 11, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending July 11, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	901	549	279	75·0	44·4	58·1	1·51
GLASGOW, . . .	11,861	705,052	59·443	9·70	425	283	106	75·0	44·4	58·7	1·66
EDINBURGH, . .	6,166	276,514	44·845	11·16	152	93	53	71·9	48·0	58·1	2·11
DUNDEE, . . .	4,162	161,620	38·832	12·00	87	55	11	75·0	48·0	58·8	1·17
ABERDEEN, . .	6,795	135,941	20·006	16·71	79	39	32	68·0	48·0	56·5	1·12
LEITH,	2,042	74,110	36·293	12·41	31	22	22	73·1	49·8	58·7	2·18
PAISLEY, . . .	3,538	72,902	20·605	16·47	67	21	18	71·6	47·5	58·6	0·90
GREENOCK, . .	1,440	61,781	42·903	11·41	39	25	23	67·5	48·2	57·6	1·49
PERTH,	2,122	30,427	14·339	19·74	21	11	14	72·8	45·5	57·8	1·44
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	949	585	340	78·4	43·0	58·0	0·51

Week ending Saturday, JULY 11, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 11, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.				
In Eight Towns,	18·8	3·1	549	116	106	0	39	9	0	15	3	25	3	85	25	106	41	1	
GLASGOW, .	20·9	5·1	283	54	46	0	38	4	0	10	3	14	0	46	9	53	18	1	
EDINBURGH,	17·5	1·7	93	24	20	0	0	2	0	3	0	4	1	12	6	25	14	0	
DUNDEE, . .	17·7	1·0	55	15	10	0	1	0	0	0	0	2	1	10	3	7	3	0	
ABERDEEN, .	14·9	1·1	39	7	10	0	0	2	0	0	0	1	1	7	1	9	0	0	
LEITH, . . .	15·4	1·4	22	1	4	0	0	1	0	0	0	1	0	1	4	2	2	0	
PAISLEY, . .	15·0	2·1	21	6	5	0	0	0	0	2	0	1	0	3	0	5	1	0	
GREENOCK, .	21·0	1·7	25	7	7	0	0	0	0	0	0	2	0	3	2	3	3	0	
PERTH, . . .	18·8	0·0	11	2	4	0	0	0	0	0	0	0	0	3	0	2	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 13, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	20·3	4·2	585	182	92	0	14	6	1	18	10	72	2	78	26	84	46	1		
GLASGOW, .	21·4	4·6	287	93	36	0	5	2	1	10	4	40	0	39	15	44	24	1		
EDINBURGH,	16·5	2·3	87	21	19	0	2	3	0	1	2	4	0	13	6	21	14	0		
DUNDEE, . .	15·3	1·6	47	8	13	0	0	1	0	3	0	1	0	3	1	8	1	0		
ABERDEEN, .	17·1	2·7	44	16	6	0	1	0	0	2	0	4	1	6	3	4	4	0		
LEITH, . . .	22·8	6·4	32	14	4	0	2	0	0	1	2	4	0	3	1	2	1	0		
PAISLEY, . .	32·0	9·4	44	16	6	0	2	0	0	0	0	11	0	8	0	1	2	0		
GREENOCK, .	26·8	9·2	32	10	7	0	2	0	0	1	1	7	0	4	0	1	0	0		
PERTH, . . .	20·6	3·4	12	4	1	0	0	0	0	0	1	1	1	2	0	3	0	0		

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 29. WEEK ENDING SATURDAY, JULY 18, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 18, 1896, was 18·1 per thousand of estimated population. This rate is 0·1 below that for the corresponding week of last year, and 0·7 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 14·5 per thousand; and the highest in Greenock, viz., 26·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·1 per thousand, being 1·0 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 65, being 20 below the number for the previous week.

The Mean Temperature was 60°·2, being 2°·1 above that for the week immediately preceding, and 2°·6 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 18, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending July 18, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	876	529	321	75·6	43·3	60·2	0·12
GLASGOW, . . .	11,861	705,052	59·443	9·70	392	259	184	74·9	43·3	59·6	0·15
EDINBURGH, . .	6,166	276,514	44·845	11·16	147	83	47	75·3	49·2	61·0	0·10
DUNDEE, . . .	4,162	161,620	38·832	12·00	106	54	16	75·6	47·9	61·6	0·06
ABERDEEN, . .	6,795	135,941	20·006	16·71	82	38	39	75·0	45·0	58·8	0·10
LEITH,	2,042	74,110	36·293	12·41	51	22	14	75·2	50·0	61·7	0·14
PAISLEY, . . .	3,538	72,902	20·605	16·47	35	27	12	74·3	47·0	60·1	0·06
GREENOCK, . .	1,440	61,781	42·903	11·41	52	31	4	71·7	48·2	59·2	0·29
PERTH,	2,122	30,427	14·339	19·74	11	15	5	75·0	44·8	59·6	0·09
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	915	526	520	71·9	45·9	57·6	1·09

Week ending Saturday, JULY 18, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, July 18, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	18·1	4·1	529	107	92	0	39	10	2	24	9	37	1	65	18	108	30	1	
GLASGOW, .	19·1	5·3	259	55	30	0	36	1	0	11	5	19	1	40	13	53	14	1	
EDINBURGH,	15·6	2·4	83	15	19	0	2	3	1	4	1	2	0	10	2	17	9	0	
DUNDEE, . .	17·4	2·6	54	11	8	0	1	0	0	0	1	6	0	6	0	13	1	0	
ABERDEEN, .	14·5	1·9	38	6	15	0	0	2	0	1	0	2	0	4	0	8	1	0	
LEITH, . . .	15·4	4·9	22	4	5	0	0	2	1	0	2	2	0	0	1	4	0	0	
PAISLEY, . .	19·3	5·0	27	6	6	0	0	0	0	7	0	0	0	1	1	9	2	0	
GREENOCK, .	26·1	5·9	31	5	3	0	0	2	0	1	0	4	0	4	0	2	2	0	
PERTH, . . .	25·6	3·4	15	5	6	0	0	0	0	0	0	2	0	0	1	2	1	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, July 20, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.				
In Eight Towns,	18·2	3·2	526	148	94	0	8	6	1	12	3	61	7	50	22	90	40	0	
GLASGOW, .	19·4	3·5	259	80	37	0	4	2	1	6	1	33	1	25	12	43	19	0	
EDINBURGH,	15·4	1·7	81	16	15	0	1	2	0	2	1	3	3	6	4	21	15	0	
DUNDEE, . .	15·9	3·2	49	13	6	0	0	0	0	0	0	10	0	6	3	5	1	0	
ABERDEEN, .	17·9	1·6	46	8	19	0	1	0	0	1	0	2	0	5	1	10	1	0	
LEITH, . . .	16·4	3·6	23	6	6	0	0	2	0	1	1	1	1	3	1	4	1	0	
PAISLEY, . .	21·8	6·5	30	11	4	0	0	0	0	1	0	8	0	0	0	4	1	0	
GREENOCK, .	22·6	5·9	27	11	4	0	2	0	0	1	0	4	2	3	1	2	2	0	
PERTH, . . .	18·9	0·0	11	3	3	0	0	0	0	0	0	0	0	2	0	1	0	0	

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 30. WEEK ENDING SATURDAY, JULY 25, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 25, 1896, was 18·3 per thousand of estimated population. This rate is the same as that for the corresponding week of last year, but 0·2 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 11·9 per thousand; and the highest in Glasgow, viz., 20·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·8 per thousand, being 0·3 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 58, being 7 below the number for the previous week.

The Mean Temperature was 58°·5, being 1°·7 below that for the week immediately preceding, but 3°·3 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 25, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Popula- tion estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending July 25, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	924	534	589	78·0	42·0	58·5	1·51
GLASGOW, . . .	11,861	705,052	59·443	9·70	456	280	386	71·6	48·3	58·4	1·38
EDINBURGH, . .	6,166	276,514	44·845	11·16	124	82	79	73·9	47·0	58·8	1·47
DUNDEE, . . .	4,162	161,620	38·832	12·00	108	61	34	75·3	45·2	58·8	2·37
ABERDEEN, . .	6,795	135,941	20·006	16·71	78	31	41	78·0	44·0	57·9	0·87
LEITH,	2,042	74,110	36·293	12·41	53	22	19	76·1	48·3	59·8	1·24
PAISLEY, . . .	3,538	72,902	20·605	16·47	46	28	15	68·9	48·9	58·2	0·88
GREENOCK, . .	1,440	61,781	42·903	11·41	42	21	8	70·2	46·7	58·0	1·97
PERTH,	2,122	30,427	14·339	19·74	17	9	7	74·5	42·0	57·8	1·92
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	819	527	315	68·8	43·6	55·2	1·91

Week ending Saturday, JULY 25, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 25, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	18·3	3·8	534	140	99	0	25	3	4	18	3	57	3	58	16	97	30
GLASGOW, .	20·7	4·8	280	67	49	0	22	2	0	12	1	28	2	36	8	51	17
EDINBURGH,	15·4	2·1	82	21	16	0	2	0	2	1	0	6	0	8	2	24	9
DUNDEE, . .	19·6	1·9	61	18	10	0	0	0	1	0	0	5	1	11	3	8	1
ABERDEEN, .	11·9	2·7	31	11	8	0	0	1	0	2	0	4	0	1	0	5	0
LEITH, . . .	15·4	2·8	22	7	5	0	0	0	0	0	0	4	0	2	1	4	1
PAISLEY, . .	20·0	5·7	28	6	5	0	0	0	1	3	1	3	0	0	1	4	1
GREENOCK, .	17·7	5·9	21	7	4	0	1	0	0	0	1	5	0	0	0	1	1
PERTH, . . .	15·4	3·4	9	3	2	0	0	0	0	0	0	2	0	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 27, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	18·3	3·2	527	139	101	1	11	3	4	7	3	64	1	58	18	83	45
GLASGOW, . .	18·6	3·4	249	66	40	0	3	2	1	4	2	34	0	29	7	42	16
EDINBURGH,	16·3	2·3	86	17	19	*1	3	0	2	1	0	5	0	5	2	22	19
DUNDEE, . .	18·2	1·9	56	18	9	0	0	0	0	0	0	6	1	11	3	4	2
ABERDEEN, .	15·2	2·3	39	6	9	0	2	0	0	2	0	2	0	2	3	2	2
LEITH, . . .	20·6	2·8	29	8	8	0	0	1	1	0	0	2	0	6	2	5	2
PAISLEY, . .	23·2	5·8	32	13	6	0	1	0	0	0	1	6	0	2	0	4	3
GREENOCK, .	25·1	7·5	30	10	8	0	1	0	0	0	0	8	0	3	1	2	1
PERTH, . . .	10·3	3·4	6	1	2	0	1	0	0	0	0	1	0	0	0	2	0

*Chickenpox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 31. WEEK ENDING SATURDAY, AUGUST 1, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 1, 1896, was 17·6 per thousand of estimated population. This rate is 0·4 below that for the corresponding week of last year, and 0·7 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 12·1 per thousand; and the highest in Greenock, viz., 23·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 65, being 7 above the number for the previous week.

The Mean Temperature was 56°·7, being 1°·8 below that for the week immediately preceding, but 0°·4 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 1, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending August 1, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	933	514	394	71·2	40·5	56·7	0·58
GLASGOW, . . .	11,861	705,052	59·443	9·70	489	263	85	70·3	42·4	57·7	0·53
EDINBURGH, . .	6,166	276,514	44·845	11·16	135	81	109	69·0	43·3	56·9	0·52
DUNDEE, . . .	4,162	161,620	38·832	12·00	77	52	137	71·2	42·4	57·0	0·13
ABERDEEN, . .	6,795	135,941	20·006	16·71	72	41	27	64·0	45·0	55·3	1·02
LEITH,	2,042	74,110	36·293	12·41	51	23	16	66·9	45·6	57·6	0·49
PAISLEY, . . .	3,538	72,902	20·605	16·47	51	17	8
GREENOCK, . .	1,440	61,781	42·903	11·41	34	28	6	66·0	44·0	55·6	0·96
PERTH,	2,122	30,427	14·339	19·74	24	9	6	69·5	40·5	56·5	0·41
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	900	520	267	68·6	43·0	56·3	0·54

Week ending Saturday, AUGUST 1, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 1, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	17·6	3·2	514	132	109	0	33	3	0	10	6	41	3	65	21	99	28	3	
GLASGOW, .	19·4	4·7	263	70	46	0	28	1	0	8	4	23	3	37	9	48	18	3	
EDINBURGH,	15·2	2·1	81	16	18	0	2	1	0	0	2	6	0	7	4	19	6	0	
DUNDEE, . .	16·7	2·3	52	13	13	0	2	1	0	0	0	4	0	5	5	11	1	0	
ABERDEEN, .	15·7	1·1	41	10	10	0	0	0	0	0	0	3	0	6	0	7	0	0	
LEITH, . . .	16·1	0·0	23	7	6	0	0	0	0	0	0	0	0	4	1	5	3	0	
PAISLEY, . .	12·1	1·4	17	4	5	0	0	0	0	0	0	2	0	1	0	5	0	0	
GREENOCK, .	23·6	5·1	28	9	7	0	1	0	0	2	0	3	0	4	2	2	0	0	
PERTH, . . .	15·4	0·0	9	3	4	0	0	0	0	0	0	0	0	1	0	2	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, August 3, 1895.

[illegible]

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 32. WEEK ENDING SATURDAY, AUGUST 8, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 8, 1896, was 15·4 per thousand of estimated population. This rate is 2·2 below that for the corresponding week of last year, and also 2·2 below that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 11·5 per thousand; and the highest in Glasgow, viz., 17·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·5 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 67, being 2 above the number for the previous week.

The Mean Temperature was 55°·9, being 0°·8 below that for the week immediately preceding, and 2°·4 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 8, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending August 8, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	876	449	242	68·9	41·0	55·9	0·35
GLASGOW, . . .	11,861	705,052	59·443	9·70	431	240	89	67·2	42·1	56·7	0·08
EDINBURGH, . .	6,166	276,514	44·845	11·16	137	61	52	67·0	46·0	56·2	0·33
DUNDEE, . . .	4,162	161,620	38·832	12·00	88	40	29	66·8	44·2	54·6	0·46
ABERDEEN, . .	6,795	135,941	20·006	16·71	81	40	28	63·0	43·0	53·6	0·19
LEITH,	2,042	74,110	36·293	12·41	38	22	16	68·9	48·3	57·5	0·35
PAISLEY, . . .	3,538	72,902	20·605	16·47	37	24	13
GREENOCK, . .	1,440	61,781	42·903	11·41	45	14	9	68·0	43·0	57·4	0·27
PERTH,	2,122	30,427	14·339	19·74	19	8	6	67·5	41·0	55·1	0·74
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	868	509	210	72·3	44·0	58·3	1·50

Week ending Saturday, AUGUST 8, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 8, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	15.4	2.7	449	110	99	0	16	5	3	13	4	39	3	67	21	75	28	1	
GLASGOW, .	17.7	4.2	240	68	31	0	14	2	2	6	3	30	0	40	11	34	10	1	
EDINBURGH,	11.5	2.1	61	15	20	0	2	0	1	3	0	5	0	8	2	13	8	0	
DUNDEE, . .	12.9	0.6	40	6	9	0	0	0	0	0	0	2	1	7	3	8	2	0	
ABERDEEN, .	15.3	0.8	40	8	15	0	0	1	0	0	0	1	1	4	0	6	4	0	
LEITH, . . .	15.4	2.1	22	5	7	0	0	2	0	0	0	1	1	4	1	3	0	0	
PAISLEY, . .	17.1	2.9	24	6	7	0	0	0	0	4	0	0	0	3	0	2	3	0	
GREENOCK, .	11.8	0.8	14	2	5	0	0	0	0	0	1	0	0	1	4	5	0	0	
PERTH, . . .	13.7	0.0	8	0	5	0	0	0	0	0	0	0	0	0	0	4	1	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 10, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	17.6	3.5	509	124	103	0	8	4	1	17	4	68	4	63	13	111	23	2	
GLASGOW, .	17.4	3.7	233	50	45	0	5	3	0	5	2	34	1	29	7	63	8	0	
EDINBURGH,	16.0	2.3	84	14	19	0	0	1	1	1	1	8	2	11	0	16	3	0	
DUNDEE, . .	18.8	4.9	58	15	16	0	1	0	0	5	1	8	0	4	3	11	0	0	
ABERDEEN, .	18.7	2.3	48	18	7	0	0	0	0	2	0	4	1	11	3	8	2	0	
LEITH, . . .	17.1	5.0	24	8	4	0	1	0	0	2	0	4	0	1	0	2	3	2	
PAISLEY, . .	19.6	2.2	27	5	8	0	0	0	0	1	0	2	0	4	0	7	3	0	
GREENOCK, .	20.9	6.7	25	12	2	0	1	0	0	1	0	6	0	2	0	2	2	0	
PERTH, . . .	17.2	3.4	10	2	2	0	0	0	0	0	0	2	0	1	0	2	2	0	

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 33. WEEK ENDING SATURDAY, AUGUST 15, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 15, 1896, was 16·1 per thousand of estimated population. This rate is 0·5 below that for the corresponding week of last year, but 0·7 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 7·0 per thousand ; and the highest in Paisley, viz., 20·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 56, being 11 below the number for the previous week.

The Mean Temperature was 57°·8, being 1°·9 above that for the week immediately preceding, but 2°·2 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 15, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Aug. 15, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	957	469	176	75·5	36·0	57·8	0·51
GLASGOW, . . .	11,861	705,052	59·443	9·70	490	234	82	69·2	40·0	58·2	0·30
EDINBURGH, . .	6,166	276,514	44·845	11·16	146	86	26	73·1	43·7	57·8	0·58
DUNDEE, . . .	4,162	161,620	38·832	12·00	106	45	18	71·8	41·2	56·4	0·50
ABERDEEN, . .	6,795	135,941	20·006	16·71	73	38	20	68·0	42·0	55·6	0·90
LEITH,	2,042	74,110	36·293	12·41	50	10	6	74·3	44·8	59·1	0·51
PAISLEY, . . .	3,538	72,902	20·605	16·47	47	29	15	72·1	44·0	59·7	0·21
GREENOCK, . .	1,440	61,781	42·903	11·41	30	15	5	67·0	45·0	57·5	0·54
PERTH,	2,122	30,427	14·339	19·74	15	12	4	75·5	36·0	58·0	0·51
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	866	479	205	77·0	43·5	60·0	0·80

Week ending Saturday, AUGUST 15, 1896.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the
Week ending Saturday, August 15, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16.1	2.5	469	117	91	0	20	3	9	11	2	28	3	56	17	98	35	2
GLASGOW, .	17.3	3.0	234	65	34	0	17	1	2	8	0	13	1	32	10	41	19	2
EDINBURGH,	16.2	1.9	86	14	19	0	1	1	2	1	1	4	0	8	1	26	8	0
DUNDEE, . .	14.5	3.5	45	12	7	0	2	0	3	0	0	6	0	6	1	9	2	0
ABERDEEN, .	14.5	0.8	38	6	11	0	0	1	0	0	0	1	2	2	3	8	1	0
LEITH, . . .	7.0	2.1	10	3	2	0	0	0	1	0	0	2	0	0	0	0	0	0
PAISLEY, . .	20.7	2.9	29	8	9	0	0	0	0	2	1	1	0	6	1	4	2	0
GREENOCK, .	12.6	1.7	15	7	4	0	0	0	1	0	0	1	0	2	0	2	3	0
PERTH, . . .	20.5	0.0	12	2	5	0	0	0	0	0	0	0	0	0	1	8	0	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the
Week ending Saturday, August 17, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16·6	3·4	479	127	103	0	7	7	4	15	6	60	4	53	16	84	30	1
GLASGOW, .	15·4	4·1	206	55	31	0	4	5	2	9	4	31	1	25	5	39	8	1
EDINBURGH,	17·1	1·7	90	27	19	0	0	1	0	1	0	7	1	12	2	20	13	0
DUNDEE, . .	20·8	3·9	64	20	12	0	0	0	1	1	0	10	0	7	3	9	4	0
ABERDEEN, .	13·6	2·3	35	4	24	0	0	0	0	1	0	5	0	2	3	3	1	0
LEITH, . . .	17·1	4·3	24	8	2	0	1	0	1	1	0	3	0	2	1	4	1	0
PAISLEY, . .	21·8	5·8	30	7	7	0	2	1	0	1	2	2	2	1	0	6	3	0
GREENOCK, .	17·6	2·5	21	4	6	0	0	0	0	1	0	2	0	2	0	2	0	0
PERTH, . . .	15·4	0·0	9	2	2	0	0	0	0	0	0	0	0	2	2	1	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 34. WEEK ENDING SATURDAY, AUGUST 22, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 22, 1896, was 16·5 per thousand of estimated population. This rate is 0·1 below that for the corresponding week of last year, but 0·4 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 13·5 per thousand; and the highest in Paisley, viz., 22·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 0·5 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 61, being 5 above the number for the previous week.

The Mean Temperature was 56°·7, being 1°·1 below that for the week immediately preceding, and 5°·1 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 22, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Aug. 22. 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	891	482	215	68·0	40·0	56·7	0·27
GLASGOW, . . .	11,861	705,052	59·443	9·70	442	224	74	67·7	43·8	57·2	0·22
EDINBURGH, . .	6,166	276,514	44·845	11·16	139	96	30	68·0	46·4	57·1	0·16
DUNDEE, . . .	4,162	161,620	38·832	12·00	80	43	14	67·8	42·4	56·9	0·16
ABERDEEN, . .	6,795	135,941	20·006	16·71	85	38	25	65·0	40·0	54·4	0·18
LEITH,	2,042	74,110	36·293	12·41	39	21	13	67·7	47·3	58·0	0·19
PAISLEY, . . .	3,538	72,902	20·605	16·47	52	32	50
GREENOCK, . .	1,440	61,781	42·903	11·41	34	16	7	64·2	47·2	56·3	0·78
PERTH,	2,122	30,427	14·339	19·74	20	12	2	68·0	42·0	56·8	0·20
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	877	478	173	78·7	44·6	61·8	1·05

Week ending Saturday, AUGUST 22, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 22, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16.5	3.0	482	116	88	0	15	7	2	18	4	41	6	61	23	79	25	1
GLASGOW, .	16.5	3.5	224	58	33	0	13	2	0	11	1	21	2	35	14	33	10	1
EDINBURGH,	18.1	3.9	96	22	21	0	2	2	1	5	2	9	0	12	3	23	8	0
DUNDEE, . .	13.8	1.6	43	10	6	0	0	0	0	0	0	5	1	8	2	8	0	0
ABERDEEN, .	14.5	1.5	38	6	12	0	0	1	1	1	0	1	0	2	1	6	0	0
LEITH, . . .	14.7	2.1	21	8	5	0	0	1	0	0	0	2	1	3	0	1	0	0
PAISLEY, . .	22.8	2.9	32	6	8	0	0	0	0	1	1	2	2	1	1	3	3	0
GREENOCK, .	13.5	0.8	16	3	1	0	0	1	0	0	0	0	0	0	0	2	2	0
PERTH, . . .	20.5	1.7	12	3	2	0	0	0	0	0	0	1	0	0	2	3	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 24, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16.6	2.9	478	136	94	0	2	8	1	24	6	42	3	52	14	100	31	4
GLASGOW, .	15.0	2.5	201	51	29	0	1	6	0	6	4	17	1	25	5	43	13	1
EDINBURGH,	19.6	2.5	103	30	26	0	0	0	0	3	0	10	1	11	1	27	10	1
DUNDEE, . .	15.3	5.2	47	17	8	0	0	1	1	5	0	9	0	3	1	8	1	0
ABERDEEN, .	21.4	3.5	55	19	15	0	0	0	0	4	0	5	1	7	0	10	3	1
LEITH, . . .	12.1	2.8	17	7	4	0	0	0	0	3	1	0	0	1	2	4	1	1
PAISLEY, . .	16.0	1.5	22	6	5	0	0	1	0	0	1	0	0	3	2	5	1	0
GREENOCK, .	17.6	4.2	21	6	5	0	1	0	0	3	0	1	0	1	1	2	0	0
PERTH, . . .	20.6	0.0	12	0	2	0	0	0	0	0	0	0	0	1	2	1	2	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 35.

WEEK ENDING SATURDAY, AUGUST 29, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 29, 1896, was 16·3 per thousand of estimated population. This rate is 1·0 below that for the corresponding week of last year, and 0·2 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 12·6 per thousand; and the highest in Perth, viz., 20·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, being 0·2 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 56, being 5 below the number for last week.

The Mean Temperature was 55°·6, being 1°·1 below that for the week immediately preceding, and 2°·2 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 29, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Aug. 29, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	887	476	183	69·0	37·0	55·6	0·94
GLASGOW, . . .	11,861	705,052	59·443	9·70	453	246	82	69·0	44·8	56·9	0·97
EDINBURGH, . .	6,166	276,514	44·845	11·16	130	81	45	68·3	44·8	56·2	0·72
DUNDEE, . . .	4,162	161,620	38·832	12·00	90	46	16	67·0	40·4	55·3	0·78
ABERDEEN, . .	6,795	135,941	20·006	16·71	86	33	19	68·0	37·0	54·1	0·71
LEITH,	2,042	74,110	36·293	12·41	35	19	3	65·9	45·9	56·7	0·77
PAISLEY, . . .	3,538	72,902	20·605	16·47	36	22	10
GREENOCK, . .	1,440	61,781	42·903	11·41	40	17	4	65·5	45·0	55·2	1·42
PERTH,	2,122	30,427	14·339	19·74	17	12	4	68·0	38·5	54·6	1·19
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	904	499	188	68·1	40·1	57·8	1·63

Week ending Saturday, AUGUST 29, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 29, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	16·3	3·2	476	117	101	0	14	8	2	13	5	51	2	56	30	92	26
GLASGOW, .	18·1	3·5	246	57	42	0	12	2	0	8	4	22	0	28	18	59	14
EDINBURGH,	15·3	2·3	81	22	25	0	2	0	1	2	0	7	0	6	5	14	5
DUNDEE, . .	14·8	2·9	46	12	7	0	0	0	1	1	0	7	0	4	3	6	2
ABERDEEN, .	12·6	3·1	33	8	9	0	0	3	0	2	0	3	2	6	2	6	1
LEITH, . . .	13·3	3·5	19	5	7	0	0	1	0	0	1	3	0	3	1	3	1
PAISLEY, . .	15·7	4·3	22	5	6	0	0	2	0	0	0	4	0	4	0	2	1
GREENOCK, .	14·3	4·2	17	6	3	0	0	0	0	0	0	5	0	1	1	1	2
PERTH, . . .	20·5	0·0	12	2	2	0	0	0	0	0	0	0	0	4	0	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 31, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	17·3	4·1	499	138	81	0	5	8	5	12	10	78	4	50	20	93	16
GLASGOW, .	18·0	4·3	241	60	35	0	3	3	2	7	8	34	0	28	11	59	4
EDINBURGH,	15·6	3·0	82	27	19	0	0	2	1	1	0	12	2	6	2	16	6
DUNDEE, . .	18·2	5·5	56	15	7	0	1	0	1	0	0	15	1	7	1	9	1
ABERDEEN, .	17·1	2·7	44	15	9	0	0	0	0	3	0	4	1	4	1	2	1
LEITH, . . .	15·7	7·8	22	9	1	0	0	3	0	0	0	8	0	1	3	4	0
PAISLEY, . .	13·8	2·9	19	2	5	0	1	0	1	0	1	1	0	1	0	0	1
GREENOCK, .	17·6	3·4	21	6	1	0	0	0	0	1	0	3	0	2	1	2	1
PERTH, . . .	24·0	3·4	14	4	4	0	0	0	0	0	1	1	0	1	1	1	2

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 36. WEEK ENDING SATURDAY, SEPTEMBER 5, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 5, 1896, was 18·1 per thousand of estimated population. This rate is 0·6 above that for the corresponding week of last year, and 1·8 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 11·5 per thousand; and the highest in Leith, viz., 22·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·1 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 69, being 13 more than the number recorded during the previous week.

The Mean Temperature was 57°·7, being 2°·1 above that for the week immediately preceding, but 1°·1 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 5, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Sept. 5, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	866	528	280	71·7	42·0	57·7	0·76
GLASGOW, . . .	11,861	705,052	59·443	9·70	433	264	159	69·3	46·3	59·4	0·89
EDINBURGH, . .	6,166	276,514	44·845	11·16	127	90	41	65·0	46·0	56·9	1·33
DUNDEE, . . .	4,162	161,620	38·832	12·00	83	59	21	63·4	45·4	56·4	0·61
ABERDEEN, . .	6,795	135,941	20·006	16·71	74	30	34	65·0	51·0	56·7	0·61
LEITH,	2,042	74,110	36·293	12·41	37	32	11	66·8	47·9	57·7	1·19
PAISLEY, . . .	3,538	72,902	20·605	16·47	46	22	3	71·7	45·2	59·5	0·10
GREENOCK, . .	1,440	61,781	42·903	11·41	55	24	8	67·2	47·0	58·0	0·23
PERTH,	2,122	30,427	14·339	19·74	11	7	3	65·0	42·0	57·0	1·12
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	830	504	267	75·9	39·0	58·8	0·46

Week ending Saturday, SEPTEMBER 5, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, September 5, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	18·1	3·1	528	106	109	0	13	15	4	9	6	43	3	69	29	114	32	2	
GLASGOW, .	19·5	4·0	264	52	43	0	12	3	3	5	6	25	2	31	13	60	19	1	
EDINBURGH,	16·9	1·9	90	18	23	0	1	1	0	2	0	6	1	16	7	21	7	0	
DUNDEE, . .	19·0	2·3	59	14	12	0	0	2	1	0	0	4	0	6	3	9	1	0	
ABERDEEN, .	11·5	1·5	30	5	13	0	0	2	0	2	0	0	0	5	0	7	0	0	
LEITH, . . .	22·5	6·3	32	7	5	0	0	5	0	0	0	4	0	3	4	8	2	0	
PAISLEY, . .	15·7	2·1	22	1	6	0	0	2	0	0	0	1	0	3	0	8	0	0	
GREENOCK, .	20·2	1·7	24	4	6	0	0	0	0	0	0	2	0	4	2	0	3	1	
PERTH, . . .	12·0	1·7	7	5	1	0	0	0	0	0	0	1	0	1	0	1	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, September 7, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17.5	3.6	504	163	92	0	2	8	2	15	4	74	2	54	18	88	33	6
GLASGOW, .	16.7	2.9	223	69	39	0	0	4	0	7	2	26	1	24	10	43	16	5
EDINBURGH,	17.5	5.1	92	32	15	0	0	1	2	1	1	22	0	11	2	18	14	0
DUNDEE, . .	15.6	5.8	48	19	5	0	0	0	0	3	1	14	0	7	1	7	1	0
ABERDEEN, .	17.9	1.9	46	12	15	0	0	0	0	2	0	3	0	4	1	9	0	1
LEITH, . . .	20.6	5.7	29	14	3	0	0	2	0	2	0	4	0	4	2	2	0	0
PAISLEY, . .	18.9	1.5	26	7	6	0	0	0	0	0	0	2	0	2	2	3	1	0
GREENOCK, .	23.5	5.0	28	6	6	0	2	1	0	0	0	3	1	2	0	4	0	0
PERTH, . . .	20.6	0.0	12	4	3	0	0	0	0	0	0	0	0	0	0	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 37.

WEEK ENDING SATURDAY, SEPTEMBER 12, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 12, 1896, was 15·9 per thousand of estimated population. This rate is 1·0 below that for the corresponding week of last year, and 2·2 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 12·8 per thousand; and the highest in Perth, viz., 20·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·5 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 49, being 20 below the number for the previous week.

The Mean Temperature was 55°·9, being 1°·8 below that for the week immediately preceding, and 1°·8 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 12, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Sept. 12, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	904	465	229	69·9	45·0	55·9	0·86
*GLASGOW, . . .	11,861	705,052	59·443	9·70	453	236	108	69·9	50·0	57·4	1·53
EDINBURGH, . .	6,166	276,514	44·845	11·16	130	69	53	66·5	50·0	55·6	0·98
DUNDEE, . . .	4,162	161,620	38·832	12·00	80	43	14	65·8	45·0	55·1	1·14
ABERDEEN, . .	6,795	135,941	20·006	16·71	86	45	31	59·0	46·0	51·2	0·23
LEITH,	2,042	74,110	36·293	12·41	47	22	5	65·8	51·0	56·5	0·68
PAISLEY, . . .	3,538	72,902	20·605	16·47	48	18	5
GREENOCK, . .	1,440	61,781	42·903	11·41	46	20	10	65·7	49·8	56·5	0·87
PERTH,	2,122	30,427	14·339	19·74	14	12	3	64·5	49·0	56·1	0·56
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	821	489	196	80·1	42·5	57·7	0·39

* No change will be made as regards Glasgow, as extended by the recent Act, until the end of the year.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

[TURN OVER.]

Week ending Saturday, SEPTEMBER 12, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 12, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	15.9	2.6	465	112	95	0	14	10	4	6	2	41	6	49	15	85	23	6
GLASGOW, .	17.4	3.0	236	59	41	0	11	6	3	2	1	18	3	31	7	41	11	4
EDINBURGH,	13.0	1.9	69	14	16	0	3	0	1	1	0	5	0	9	2	19	8	0
DUNDEE, . .	13.8	1.6	43	12	10	0	0	1	0	0	0	4	0	3	3	7	1	0
ABERDEEN, .	17.2	2.3	45	10	18	0	0	1	0	2	0	3	1	1	1	11	1	1
LEITH, . . .	15.4	3.5	22	6	2	0	0	2	0	0	1	2	1	1	0	1	0	0
PAISLEY, . .	12.8	3.6	18	6	2	0	0	0	0	1	0	4	0	1	0	3	0	0
GREENOCK, .	16.8	2.5	20	3	2	0	0	0	0	0	0	3	0	2	2	2	2	0
PERTH, . . .	20.5	3.4	12	2	4	0	0	0	0	0	0	2	1	1	0	1	0	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 14, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16.9	3.1	489	141	94	0	0	4	5	11	9	61	0	52	17	101	26	2
GLASGOW, .	17.4	2.8	233	54	39	0	0	1	2	8	6	20	0	24	9	51	13	2
EDINBURGH,	15.8	2.9	83	24	17	0	0	1	2	1	1	10	0	10	4	18	7	0
DUNDEE, . .	18.5	3.6	57	23	8	0	0	1	1	1	0	8	0	9	2	10	0	0
ABERDEEN, .	15.2	3.1	39	13	11	0	0	0	0	1	1	6	0	1	0	6	0	0
LEITH, . . .	14.9	3.6	21	6	4	0	0	0	0	0	0	5	0	5	1	4	2	0
PAISLEY, . .	20.3	5.1	28	12	7	0	0	0	0	0	1	6	0	1	0	6	2	0
GREENOCK, .	16.8	5.9	20	7	5	0	0	1	0	0	0	6	0	1	1	4	1	0
PERTH, . . .	13.7	0.0	8	2	3	0	0	0	0	0	0	0	0	1	0	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 38.

WEEK ENDING SATURDAY, SEPTEMBER 19, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 19, 1896, was 17·3 per thousand of estimated population. This rate is 1·2 below that for the corresponding week of last year, but 1·4 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 11·8 per thousand ; and the highest in Perth, viz., 22·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 54, being 5 above the number for the previous week.

The Mean Temperature was 54°·2, being 1°·7 below that for the week immediately preceding, and 1°·6 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 19, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Sept. 19, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	897	505	186	65·5	41·0	54·2	1·20
GLASGOW, . . .	11,861	705,052	59·443	9·70	445	234	86	63·8	46·0	54·9	2·32
EDINBURGH, . .	6,166	276,514	44·845	11·16	144	88	39	62·5	45·0	54·1	0·52
DUNDEE, . . .	4,162	161,620	38·832	12·00	85	51	11	61·0	42·9	53·4	0·96
ABERDEEN, . .	6,795	135,941	20·006	16·71	74	53	25	63·0	41·0	53·4	0·93
LEITH,	2,042	74,110	36·293	12·41	56	27	10	63·7	46·9	54·8	0·63
PAISLEY, . . .	3,538	72,902	20·605	16·47	39	25	4	62·8	46·0	54·5	1·23
GREENOCK, . .	1,440	61,781	42·903	11·41	42	14	11	62·0	45·0	54·6	1·86
PERTH,	2,122	30,427	14·339	19·74	12	13	0	65·5	42·0	53·9	1·16
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	884	534	193	81·9	37·0	55·8	0·64

Week ending Saturday, SEPTEMBER 19, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 19, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17.3	3.0	505	132	104	0	7	10	5	6	6	54	2	54	24	91	30	2
GLASGOW, .	17.3	4.2	234	68	33	0	5	4	4	2	6	36	1	24	14	45	14	1
EDINBURGH,	16.5	1.7	88	19	25	0	1	0	0	2	0	6	0	10	2	19	12	0
DUNDEE, . .	16.4	1.6	51	14	13	0	0	1	0	0	0	4	0	6	2	9	1	0
ABERDEEN, .	20.3	1.5	53	12	14	0	0	1	0	0	0	3	1	7	1	6	0	0
LEITH, . . .	18.9	2.8	27	11	5	0	1	2	0	0	0	1	0	1	0	0	1	0
PAISLEY, . .	17.8	3.6	25	4	7	0	0	2	0	1	0	2	0	3	1	6	0	0
GREENOCK, .	11.8	1.7	14	1	4	0	0	0	1	0	0	1	0	2	2	4	0	0
PERTH, . . .	22.2	3.4	13	3	3	0	0	0	0	1	0	1	0	1	2	2	2	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 21, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18.5	3.2	534	154	100	0	3	4	3	10	16	57	2	64	17	115	29	2
GLASGOW, .	19.6	3.1	262	71	46	0	2	2	3	6	9	19	0	37	4	62	13	2
EDINBURGH,	18.1	2.9	95	31	13	0	0	0	0	0	2	13	1	7	8	26	11	0
DUNDEE, . .	21.1	6.2	65	26	10	0	0	0	0	1	1	17	0	7	3	10	3	0
ABERDEEN, .	14.8	2.3	38	13	13	0	0	0	0	2	0	4	1	5	1	7	0	0
LEITH, . . .	15.7	3.6	22	6	6	0	0	1	0	0	1	3	0	3	0	3	1	0
PAISLEY, . .	13.1	0.7	18	3	6	0	0	1	0	0	0	0	0	1	0	2	0	0
GREENOCK, .	23.5	5.0	28	3	3	0	1	0	0	1	3	1	0	3	1	4	1	0
PERTH, . . .	10.3	0.0	6	1	3	0	0	0	0	0	0	0	0	1	0	1	0	0

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 39. WEEK ENDING SATURDAY, SEPTEMBER 26, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 26, 1896, was 14·4 per thousand of estimated population. This rate is 3·1 below that for the corresponding week of last year, and 2·9 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 10·1 per thousand ; and the highest in Glasgow, viz., 15·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 42, being 12 below the number for the previous week.

The Mean Temperature was 49°·0, being 5°·2 below that for the week immediately preceding, and 10°·6 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 26, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Sept. 26, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	950	420	238	62·6	35·4	49·0	1·52
*GLASGOW, . . .	11,861	705,052	59·443	9·70	457	215	111	60·1	35·4	49·8	2·32
EDINBURGH, . .	6,166	276,514	44·845	11·16	150	69	52	60·3	39·9	48·8	1·53
DUNDEE, . . .	4,162	161,620	38·832	12·00	92	43	11	58·5	37·3	48·1	1·10
ABERDEEN, . .	6,795	135,941	20·006	16·71	98	34	35	58·0	38·0	48·7	1·70
LEITH,	2,042	74,110	36·293	12·41	53	16	8	62·6	41·0	50·2	1·13
PAISLEY, . . .	3,538	72,902	20·605	16·47	52	22	7
GREENOCK, . .	1,440	61,781	42·903	11·41	30	12	9	57·0	39·5	48·9	1·75
PERTH,	2,122	30,427	14·339	19·74	18	9	5	60·0	35·8	48·3	1·12
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	847	506	206	78·3	37·0	59·6	0·03

* No change will be made as regards Glasgow, as extended by the recent Act, until the end of the year.

Week ending Saturday, SEPTEMBER 26, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 26, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	14·4	2·6	420	109	80	0	9	8	5	9	3	43	3	42	13	87	31	5
GLASGOW, .	15·9	3·7	215	63	24	0	9	4	2	5	2	28	2	25	6	44	18	4
EDINBURGH,	13·0	2·3	69	15	20	0	0	2	1	2	0	7	0	7	1	19	11	0
DUNDEE, . .	13·8	1·0	43	9	15	0	0	0	0	0	1	2	1	4	2	8	1	0
ABERDEEN, .	13·0	0·8	34	11	9	0	0	0	0	0	0	2	0	0	2	7	0	1
LEITH, . . .	11·2	2·8	16	3	5	0	0	1	1	0	0	2	0	2	1	3	0	0
PAISLEY, . .	15·7	2·9	22	3	3	0	0	1	1	1	0	1	0	2	0	3	0	0
GREENOCK, .	10·1	1·7	12	5	3	0	0	0	0	1	0	1	0	2	0	1	0	0
PERTH, . . .	15·4	0·0	9	0	1	0	0	0	0	0	0	0	0	0	1	2	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 28, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17·5	2·7	506	143	88	0	6	5	5	9	6	48	1	81	16	94	28	0
GLASGOW, .	19·4	2·4	260	67	44	0	3	3	1	2	4	19	0	44	8	50	20	0
EDINBURGH,	15·0	2·1	79	18	17	0	0	1	3	0	1	6	0	9	0	24	5	0
DUNDEE, . .	20·5	4·2	63	28	8	0	0	0	0	2	1	10	0	12	1	7	2	0
ABERDEEN, .	13·2	2·3	34	12	5	0	0	0	0	1	0	5	0	9	1	2	0	0
LEITH, . . .	13·5	2·8	19	8	3	0	1	0	0	2	0	1	0	4	3	3	1	0
PAISLEY, . .	15·3	2·9	21	6	6	0	0	0	0	0	0	4	1	3	0	2	0	0
GREENOCK, .	17·6	6·7	21	2	2	0	2	1	1	2	0	2	0	0	3	4	0	0
PERTH, . . .	15·4	1·7	9	2	3	0	0	0	0	0	0	1	0	0	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 40. WEEK ENDING SATURDAY, OCTOBER 3, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 3, 1896, was 17·2 per thousand of estimated population. This rate is 1·1 below that for the corresponding week of last year, but 2·8 above that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 14·9 per thousand ; and the highest in Greenock, viz., 20·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 76, being 34 above the number for the previous week.

The Mean Temperature was 52°·2, being 3°·2 above that for the week immediately preceding, and 1°·4 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 3, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Oct. 3, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	921	503	270	64·2	34·0	52·2	0·44
*GLASGOW, . . .	11,861	705,052	59·443	9·70	418	246	137	62·9	42·0	53·1	0·52
EDINBURGH, . .	6,166	276,514	44·845	11·16	150	79	45	63·5	41·1	52·7	0·17
DUNDEE, . . .	4,162	161,620	38·832	12·00	92	50	13	62·2	38·4	51·3	0·08
ABERDEEN, . .	6,795	135,941	20·006	16·71	95	48	27	64·0	34·0	50·2	0·91
LEITH,	2,042	74,110	36·293	12·41	55	26	14	64·2	43·1	53·5	0·16
PAISLEY, . . .	3,538	72,902	20·605	16·47	50	21	11	62·5	43·0	52·9	0·31
GREENOCK, . .	1,440	61,781	42·903	11·41	44	24	15	62·2	40·7	52·7	1·24
PERTH,	2,122	30,427	14·339	19·74	17	9	8	63·0	39·0	51·5	0·15
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	894	527	242	74·6	34·0	50·8	1·20

* No change will be made as regards Glasgow, as extended by the recent Act, until the end of the year.

Week ending Saturday, OCTOBER 3, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during Week ending Saturday, October 3, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	17.2	2.7	503	136	84	0	10	6	9	9	9	36	0	76	27	92	39	2	
GLASGOW, .	18.1	3.1	246	68	34	0	9	4	3	5	4	17	0	47	9	42	18	1	
EDINBURGH,	14.9	2.4	79	21	14	0	1	0	2	2	1	7	0	5	6	19	9	0	
DUNDEE, . .	16.1	2.3	50	16	9	0	0	0	1	0	1	5	0	7	2	9	4	0	
ABERDEEN, .	18.4	1.5	48	17	9	0	0	1	0	0	1	2	0	5	6	11	4	0	
LEITH, . . .	18.2	4.2	26	5	5	0	0	1	2	0	0	3	0	3	2	3	0	0	
PAISLEY, . .	15.0	3.6	21	5	3	0	0	0	1	2	1	1	0	3	0	2	1	0	
GREENOCK, .	20.2	1.7	24	2	7	0	0	0	0	0	1	1	0	5	0	2	2	0	
PERTH, . . .	15.4	0.0	9	2	3	0	0	0	0	0	0	0	0	1	2	4	1	1	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during Week ending Saturday, October 5, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns;	18.3	3.3	527	145	95	0	3	4	2	17	8	62	7	91	24	80	49	0	
GLASGOW, .	18.4	3.3	246	70	36	0	0	3	1	10	3	27	4	50	13	37	21	0	
EDINBURGH,	16.5	1.9	87	27	21	0	0	0	0	0	1	9	2	13	4	12	19	0	
DUNDEE, . .	17.5	4.2	54	15	6	0	2	0	0	2	2	7	0	7	3	4	3	0	
ABERDEEN, .	19.0	4.3	49	13	11	0	0	1	1	4	0	5	1	6	1	10	0	0	
LEITH, . . .	18.5	4.3	26	9	4	0	0	0	0	1	0	5	0	3	1	4	2	0	
PAISLEY, . .	21.1	5.1	29	5	7	0	1	0	0	0	1	5	0	4	1	6	2	0	
GREENOCK, .	20.1	3.4	24	4	8	0	0	0	0	0	1	3	0	6	0	4	0	0	
PERTH, . . .	20.6	1.7	12	2	2	0	0	0	0	0	0	1	0	2	1	3	2	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 41.

WEEK ENDING SATURDAY, OCTOBER 10, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 10, 1896, was 17·7 per thousand of estimated population. This rate is 1·6 below that for the corresponding week of last year, but 0·5 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·9 per thousand; and the highest in Dundee, viz., 20·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·0 per thousand, being 0·7 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 83, being 7 above the number for the previous week.

The Mean Temperature was 46°·2, being 6°·0 below that for the week immediately preceding, and 2°·5 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 10, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Oct. 10, 1896.			Temperature. .			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	866	517	209	57·8	33·0	46·2	1·95
*GLASGOW, . . .	11,861	705,052	59·443	9·70	403	256	104	57·4	35·7	45·9	3·67
EDINBURGH, . .	6,166	276,514	44·845	11·16	142	72	41	56·5	33·3	45·3	1·82
DUNDEE, . . .	4,162	161,620	38·832	12·00	84	63	15	55·7	34·9	45·4	1·27
ABERDEEN, . .	6,795	135,941	20·006	16·71	101	52	18	57·0	33·0	47·8	0·57
LEITH,	2,042	74,110	36·293	12·41	45	17	18	57·7	34·9	46·3	1·61
PAISLEY, . . .	3,538	72,902	20·605	16·47	45	27	9	56·1	34·0	45·1	2·00
GREENOCK, . .	1,440	61,781	42·903	11·41	32	21	2	56·0	38·8	46·9	2·69
PERTH,	2,122	30,427	14·339	19·74	14	9	2	57·8	35·5	47·1	1·97
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	834	558	191	62·9	33·0	48·7	0·72

* No change will be made as regards Glasgow, as extended by the recent Act, until the end of the year.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

[TURN OVER

Week ending Saturday, OCTOBER 10, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 10, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from															
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.						
In Eight Towns,	17·7	2·0	517	137	116	0	15	5	3	7	2	25	4	83	30	104	31	1			
GLASGOW, .	18·9	3·1	256	71	43	0	14	3	1	7	1	16	1	42	16	47	15	1			
EDINBURGH,	13·5	0·4	72	17	22	0	0	0	0	0	0	2	1	11	5	18	6	0			
DUNDEE, . .	20·3	0·6	63	21	14	0	0	0	0	0	0	2	1	7	5	7	3	0			
ABERDEEN, .	19·9	1·9	52	12	14	0	1	2	1	0	0	1	0	13	2	13	0	0			
LEITH, . . .	11·9	1·4	17	2	6	0	0	0	1	0	0	1	0	3	1	5	2	0			
PAISLEY, . .	19·3	1·4	27	6	8	0	0	0	0	0	1	1	1	2	0	6	3	0			
GREENOCK, .	17·7	1·7	21	8	4	0	0	0	0	0	0	2	0	5	1	4	2	0			
PERTH, . . .	15·4	0·0	9	0	5	0	0	0	0	0	0	0	0	0	0	4	0	0			

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 12, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include.															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	19·3	3·3	558	139	101	0	5	7	5	11	8	58	2	95	17	87	27	1	
GLASGOW, .	17·6	2·5	236	52	36	0	1	3	1	5	2	22	0	51	9	38	12	1	
EDINBURGH,	20·5	3·4	108	30	21	0	0	3	1	1	2	11	0	11	7	23	12	0	
DUNDEE, . .	27·9	6·5	86	26	17	0	1	0	2	4	2	11	1	15	0	9	2	0	
ABERDEEN, .	14·4	2·3	37	11	8	0	0	1	0	1	0	4	0	7	0	6	0	0	
LEITH, . . .	15·7	1·4	22	7	2	0	0	0	0	0	1	1	1	6	0	3	0	0	
PAISLEY, . .	18·9	2·2	26	4	11	0	1	0	0	0	1	1	0	2	1	3	0	0	
GREENOCK, .	26·0	9·2	31	6	2	0	2	0	1	0	0	8	0	2	0	3	1	0	
PERTH, . . .	20·6	0·0	12	3	4	0	0	0	0	0	0	0	0	1	0	2	0	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 42. WEEK ENDING SATURDAY, OCTOBER 17, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 17, 1896, was 17·9 per thousand of estimated population. This rate is 0·8 below that for the corresponding week of last year, but 0·2 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 13·5 per thousand; and the highest in Dundee, viz., 20·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·4 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 114, being an increase of 31 on the number for the previous week.

The Mean Temperature was 42°·5, being 3°·7 below that for the week immediately preceding, and 2°·7 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 17, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Oct. 17, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	988	523	228	58·2	25·0	42·5	0·09
GLASGOW, . . .	11,861	705,052	59·443	9·70	462	252	92	58·2	25·0	42·2	0·00
EDINBURGH, . .	6,166	276,514	44·845	11·16	182	95	41	53·0	31·6	43·1	0·10
DUNDEE, . . .	4,162	161,620	38·832	12·00	93	63	59	55·7	32·2	42·5	0·05
ABERDEEN, . .	6,795	135,941	20·006	16·71	101	37	12	54·0	32·0	42·7	0·35
LEITH,	2,042	74,110	36·293	12·41	40	23	4	52·5	34·0	44·0	0·15
PAISLEY, . . .	3,538	72,902	20·605	16·47	54	26	7	55·1	29·8	42·6	0·06
GREENOCK, . .	1,440	61,781	42·903	11·41	46	16	13	56·5	31·0	42·4	0·01
PERTH,	2,122	30,427	14·339	19·74	10	11	0	54·8	26·8	40·5	0·03
Corresponding Week of 1895.— Eight Towns.	38,126	1,500,435	39·355	11·92	853	539	223	64·0	27·0	45·2	0·75

* No change will be made as regards Glasgow, as extended by the recent Act, until the end of the year.

Week ending Saturday, OCTOBER 17, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 17, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17.9	1.4	523	131	119	0	5	10	3	7	1	15	2	114	15	108	22	0
GLASGOW, .	18.6	1.4	252	68	41	0	3	3	0	4	1	8	1	70	5	45	13	0
EDINBURGH,	17.9	1.1	95	16	32	0	0	2	1	3	0	0	0	8	3	33	5	0
DUNDEE, . .	20.3	0.6	63	22	10	0	0	0	0	0	0	2	0	16	1	10	0	0
ABERDEEN, .	14.2	2.3	37	9	9	0	1	3	0	0	0	2	0	4	2	5	0	0
LEITH, . . .	16.1	1.4	23	6	4	0	0	0	0	0	0	2	0	8	1	2	2	0
PAISLEY, . .	18.5	2.9	26	4	11	0	1	1	2	0	0	0	0	3	2	6	1	0
GREENOCK, .	13.5	0.8	16	5	5	0	0	0	0	0	0	1	1	2	1	4	1	0
PERTH, . . .	18.8	1.7	11	1	7	0	0	1	0	0	0	0	0	3	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, October 19, 1895.

[illegible]

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 43. WEEK ENDING SATURDAY, OCTOBER 24, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 24, 1896, was 18·9 per thousand of estimated population. This rate is the same as that for the corresponding week of last year, but 1·0 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 15·2 per thousand; and the highest in Paisley, viz., 21·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·3 per thousand, being 0·9 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 119, being an increase of 5 on the number for the previous week.

The Mean Temperature was 40°·5, being 2°·0 below that for the week immediately preceding, but 1°·2 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 24, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Oct. 24, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	959	552	206	52·5	24·5	40·5	1·63
*GLASGOW,	11,861	705,052	59·443	9·70	473	273	103	52·5	24·8	41·9	1·76
EDINBURGH, . .	6,166	276,514	44·845	11·16	167	89	38	46·0	28·9	40·1	1·64
DUNDEE,	4,162	161,620	38·832	12·00	88	62	16	47·2	26·2	38·7	1·46
ABERDEEN, . .	6,795	135,941	20·006	16·71	87	45	19	50·0	32·0	41·1	2·58
LEITH,	2,042	74,110	36·293	12·41	44	26	11	46·9	31·9	40·8	1·59
PAISLEY,	3,538	72,902	20·605	16·47	54	30	9
GREENOCK, . .	1,440	61,781	42·903	11·41	23	18	8	51·0	29·0	41·7	0·91
PERTH,	2,122	30,427	14·339	19·74	23	9	2	51·0	24·5	39·4	1·45
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	876	545	182	55·0	24·2	39·3	0·40

* No change will be made as regards Glasgow, as extended by the recent Act, until the end of the year.

Week ending Saturday, OCTOBER 24, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 24, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·9	2·3	552	117	130	0	16	4	5	12	7	24	3	119	21	93	34	2
GLASGOW, .	20·1	3·1	273	59	61	0	12	4	3	8	5	10	1	56	13	46	11	2
EDINBURGH,	16·7	0·9	89	19	19	0	1	0	0	2	0	2	1	17	3	19	15	0
DUNDEE, . .	19·9	1·3	62	15	9	0	0	0	1	0	0	3	0	17	2	10	2	0
ABERDEEN, .	17·2	2·7	45	10	16	0	2	0	0	0	1	4	1	9	1	8	2	0
LEITH, . . .	18·2	2·1	26	3	8	0	0	0	0	0	0	3	0	7	1	3	0	0
PAISLEY, . .	21·4	3·6	30	8	9	0	1	0	1	1	0	2	0	8	1	2	3	0
GREENOCK, .	15·2	0·0	18	3	4	0	0	0	0	0	0	0	0	4	0	1	0	0
PERTH, . . .	15·4	3·4	9	0	4	0	0	0	0	1	1	0	0	1	0	4	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 26, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	18·9	2·3	545	138	103	0	2	10	9	11	12	21	9	121	25	98	34	1		
GLASGOW, .	20·3	2·2	271	63	37	0	1	6	3	5	9	6	2	72	11	52	17	1		
EDINBURGH,	15·8	2·7	83	28	23	0	0	2	4	2	2	4	2	13	4	16	11	0		
DUNDEE, . .	16·9	2·9	52	13	8	0	0	1	1	2	0	5	1	15	2	6	1	0		
ABERDEEN, .	19·4	2·3	50	13	11	0	0	1	0	2	0	3	1	5	1	10	0	0		
LEITH, . . .	19·2	1·4	27	9	5	0	0	0	1	0	0	1	1	3	2	2	1	0		
PAISLEY, . .	21·1	0·7	29	6	9	0	0	0	0	0	1	0	0	8	3	7	3	0		
GREENOCK, .	18·4	2·5	22	2	6	0	1	0	0	0	0	2	1	2	2	5	1	0		
PERTH, . . .	18·9	0·0	11	4	4	0	0	0	0	0	0	0	1	3	0	0	0	0		

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 44.

WEEK ENDING SATURDAY, OCTOBER 31, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 31, 1896, was 18·6 per thousand of estimated population. This rate is 1·9 below that for the corresponding week of last year, and 0·3 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 13·8 per thousand; and the highest in Glasgow, viz., 21·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 124, being 5 above the number for the previous week.

The Mean Temperature was 39°·0, being 1°·5 below that for the week immediately preceding, but 0°·9 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 31, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Oct. 31, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	929	544	220	53·0	21·5	39·0	0·31
*GLASGOW, . . .	11,861	705,052	59·443	9·70	436	292	111	48·9	28·3	39·6	0·32
EDINBURGH, . .	6,166	276,514	44·845	11·16	132	84	52	47·6	28·8	39·3	0·51
DUNDEE, . . .	4,162	161,620	38·832	12·00	99	62	14	47·7	25·7	37·8	0·14
ABERDEEN, . .	6,795	135,941	20·006	16·71	106	36	22	47·0	29·0	38·5	0·85
LEITH,	2,042	74,110	36·293	12·41	45	20	3	47·6	30·2	40·4	0·43
PAISLEY, . . .	3,538	72,902	20·605	16·47	51	22	5	53·0	28·9	41·1	0·05
GREENOCK, . .	1,440	61,781	42·903	11·41	37	18	9	47·2	31·0	39·1	0·03
PERTH,	2,122	30,427	14·339	19·74	23	10	4	47·0	21·5	36·1	0·13
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	822	591	248	51·2	23·1	38·1	0·22

* No change will be made as regards Glasgow, as extended by the recent Act, until the end of the year.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

[TURN OVER.]

Week ending Saturday, OCTOBER 31, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 31, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·6	2·4	544	137	113	0	20	3	10	9	3	24	6	124	22	80	36	3
GLASGOW, .	21·5	3·5	292	75	55	0	19	2	4	7	1	15	3	84	10	37	13	2
EDINBURGH,	15·8	2·1	84	16	27	0	0	1	4	0	1	5	1	10	3	16	8	0
DUNDEE, . .	19·9	1·3	62	22	11	0	0	0	1	1	1	1	0	14	2	12	7	0
ABERDEEN, .	13·8	0·8	36	9	9	0	1	0	0	0	0	1	0	3	2	6	4	1
LEITH, . . .	14·0	2·1	20	4	1	0	0	0	1	0	0	2	1	1	2	3	1	0
PAISLEY, . .	15·7	0·7	22	5	4	0	0	0	0	1	0	0	1	6	1	3	2	0
GREENOCK, .	15·2	0·0	18	4	3	0	0	0	0	0	0	0	0	6	2	1	0	0
PERTH, . . .	17·1	0·0	10	2	3	0	0	0	0	0	0	0	0	0	0	2	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 2, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from															
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.						
In Eight Towns,	20·5	2·4	591	147	147	1	3	11	5	19	6	25	5	131	22	115	48	3			
GLASGOW, .	21·5	2·5	288	70	65	0	0	5	3	11	4	10	1	72	14	57	26	3			
EDINBURGH,	19·4	1·5	102	22	28	0	0	2	0	3	1	2	3	21	2	20	13	0			
DUNDEE, . .	17·5	2·6	54	16	17	0	1	1	1	0	0	5	0	7	2	14	1	0			
ABERDEEN, .	21·0	3·1	54	18	14	0	0	1	0	4	0	3	0	12	0	11	2	0			
LEITH, . . .	17·1	2·8	24	9	4	*1	0	1	1	0	0	1	0	8	0	3	0	0			
PAISLEY, . .	22·5	2·2	31	3	11	0	0	0	0	0	1	2	0	6	2	4	2	0			
GREENOCK, .	20·9	5·0	25	6	3	0	2	1	0	1	0	2	1	5	1	4	4	0			
PERTH, . . .	22·3	0·0	13	3	5	0	0	0	0	0	0	0	0	0	1	2	0	0			

* Chicken-pox.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 45. WEEK ENDING SATURDAY, NOVEMBER 7, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 7, 1896, was 20·3 per thousand of estimated population. This rate is 1·1 below that for the corresponding week of last year, but 1·7 above that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 15·0 per thousand ; and the highest in Aberdeen, viz., 22·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·0 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 166, being an increase of 42 on the number for the previous week.

The Mean Temperature was 39°·9, being 0°·9 above that for the week immediately preceding, but 4°·3 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 7, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Nov. 7, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	856	592	311	51·2	22·0	39·9	0·15
*GLASGOW, . . .	11,861	705,052	59·443	9·70	430	300	191	51·0	22·0	39·2	0·20
*EDINBURGH, . .	6,166	276,514	44·845	11·16	135	80	47	46·2	28·0	40·1	0·17
DUNDEE, . . .	4,162	161,620	38·832	12·00	86	67	19	48·9	26·4	38·6	0·06
ABERDEEN, . .	6,795	135,941	20·006	16·71	80	58	7	47·0	27·0	39·6	0·22
LEITH, . . .	2,042	74,110	36·293	12·41	47	23	14	47·5	29·9	41·3	0·19
PAISLEY, . . .	3,538	72,902	20·605	16·47	41	27	17	51·2	25·0	40·8	0·15
GREENOCK, . .	1,440	61,781	42·903	11·41	23	25	9	50·0	29·8	41·3	0·16
PERTH, . . .	2,122	30,427	14·339	19·74	14	12	7	50·5	22·2	38·6	0·05
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	798	617	267	55·3	28·3	44·2	1·23

* No change will be made as regards Glasgow and Edinburgh, as extended by recent Acts, until the end of the year.

EDINBURGH : Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

[TURN OVER.

Week ending Saturday, NOVEMBER 7, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 7, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·3	2·0	592	148	140	0	23	7	3	8	7	11	2	166	28	100	37	1
GLASGOW, .	22·1	3·0	300	79	60	0	19	2	2	7	5	6	0	89	15	52	21	1
EDINBURGH,	15·0	0·2	80	14	32	0	0	1	0	0	0	0	0	18	2	16	8	0
DUNDEE, . .	21·6	1·0	67	23	13	0	1	0	0	0	0	2	0	24	3	7	1	0
ABERDEEN, .	22·2	1·9	58	11	14	0	1	3	0	0	0	1	0	15	3	11	2	0
LEITH, . . .	16·1	2·8	23	6	7	0	0	1	1	0	0	2	2	2	0	2	1	0
PAISLEY, . .	19·3	2·9	27	5	7	0	2	0	0	1	1	0	0	5	3	9	1	0
GREENOCK, .	21·0	0·8	25	6	4	0	0	0	0	0	1	0	0	8	2	3	2	0
PERTH, . . .	20·5	0·0	12	4	3	0	0	0	0	0	0	0	0	5	0	0	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 9, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·4	2·7	617	136	163	0	6	10	8	21	9	23	7	166	32	116	43	4
GLASGOW, .	21·6	2·7	289	62	65	0	0	8	3	12	3	10	4	81	18	54	21	4
EDINBURGH,	16·3	1·9	86	17	25	0	0	1	2	1	2	4	0	18	2	15	14	0
DUNDEE, . .	25·6	2·6	79	13	28	0	1	0	0	3	0	4	2	19	4	14	3	0
ABERDEEN, .	25·3	1·2	65	21	15	0	0	0	0	3	0	0	1	25	3	14	1	0
LEITH, . . .	21·4	5·0	30	9	8	0	0	1	2	0	3	1	0	6	1	5	0	0
PAISLEY, . .	23·2	2·2	32	6	12	0	1	0	0	0	1	1	0	8	3	8	3	0
GREENOCK, .	15·9	5·9	19	5	2	0	4	0	0	2	0	1	0	6	1	1	1	0
PERTH, . . .	29·2	5·1	17	3	8	0	0	0	1	0	0	2	0	3	0	5	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 46. WEEK ENDING SATURDAY, NOVEMBER 14, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 14, 1896, was 23·5 per thousand of estimated population. This rate is 5·0 above that for the corresponding week of last year, and 3·2 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 13·7 per thousand; and the highest in Paisley, viz., 25·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·6 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 175, being 9 more than for the previous week.

The Mean Temperature was 43°·8, being 3°·9 above that for the week immediately preceding, and 0°·3 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 14, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Nov. 14, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	846	686	205	56·0	27·5	43·8	0·36
GLASGOW, . . .	11,861	705,052	59·443	9·70	413	334	110	52·8	23·9	43·9	0·30
EDINBURGH, . .	6,166	276,514	44·845	11·16	149	126	27	51·9	30·0	43·4	0·15
DUNDEE, . . .	4,162	161,620	38·832	12·00	79	74	6	54·0	28·5	42·8	0·28
ABERDEEN, . .	6,795	135,941	20·006	16·71	64	60	26	56·0	32·0	43·6	0·42
LEITH,	2,042	74,110	36·293	12·41	46	23	12	51·7	32·0	44·5	0·13
PAISLEY, . . .	3,538	72,902	20·605	16·47	46	35	10	51·8	28·0	44·8	0·35
GREENOCK, . .	1,440	61,781	42·903	11·41	40	26	12	51·0	31·0	44·2	0·95
PERTH,	2,122	30,427	14·339	19·74	9	8	2	53·0	27·5	42·8	0·33
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	821	535	184	57·0	29·5	44·1	1·92

* No change will be made as regards Glasgow and Edinburgh, as extended by the recent Acts, until the end of the year.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

[TURN OVER.

Week ending Saturday, NOVEMBER 14, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 14, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23.5	2.6	686	154	160	1	17	11	8	12	10	17	4	175	22	121	41	2
GLASGOW, .	24.6	3.0	334	85	66	0	13	4	5	7	4	8	1	98	7	44	19	2
EDINBURGH,	23.7	1.5	126	24	35	*1	2	1	0	1	1	2	2	27	5	35	12	0
DUNDEE, . .	23.8	1.9	74	15	17	0	0	0	0	2	3	1	0	20	3	19	4	0
ABERDEEN, .	23.0	3.8	60	13	16	0	1	4	2	0	0	3	1	9	2	5	0	0
LEITH, . . .	16.1	1.4	23	5	5	0	0	1	0	0	0	1	0	5	2	4	0	0
PAISLEY, . .	25.0	5.7	35	4	8	0	1	1	1	2	2	1	0	7	0	7	4	0
GREENOCK, .	21.9	0.8	26	7	8	0	0	0	0	0	0	1	0	6	3	5	2	0
PERTH, . . .	13.7	0.0	8	1	5	0	0	0	0	0	0	0	0	3	0	2	0	0

* Chickenpox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 16, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.5	1.8	535	132	121	1	5	9	5	18	3	11	4	130	26	82	40	1
GLASGOW, .	18.5	2.0	248	65	44	1	1	3	2	14	1	5	2	73	15	38	19	1
EDINBURGH,	17.1	1.5	90	18	27	0	0	3	1	1	2	1	1	13	3	20	10	0
DUNDEE, . .	15.9	0.6	49	10	12	0	0	0	1	0	0	1	0	12	1	8	2	0
ABERDEEN, .	22.5	1.9	58	21	17	0	0	1	0	3	0	1	0	17	2	6	3	0
LEITH, . . .	14.2	2.8	20	7	4	0	1	0	1	0	0	2	0	5	0	2	1	0
PAISLEY, . .	18.9	0.7	26	2	6	0	0	1	0	0	0	0	1	4	1	3	2	0
GREENOCK, .	26.8	2.5	32	8	8	0	3	0	0	0	0	0	0	5	4	3	3	0
PERTH, . . .	20.6	3.4	12	1	3	0	0	1	0	0	0	1	0	1	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 47. WEEK ENDING SATURDAY, NOVEMBER 21, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 21, 1896, was 21·1 per thousand of estimated population. This rate is 3·0 above that for the corresponding week of last year, but 2·4 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 15·4 per thousand; and the highest in Perth, viz., 29·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being the same as for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 168, being 7 below the number for last week.

The Mean Temperature was 42°·3, being 1°·5 below that for the week immediately preceding, and 0°·6 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 21, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Nov. 21, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	927	615	197	51·7	29·9	42·3	0·52
GLASGOW, . . .	11,861	705,052	59·443	9·70	457	319	102	51·3	31·0	43·4	0·82
EDINBURGH, . .	6,166	276,514	44·845	11·16	149	98	32	50·0	29·9	41·9	0·16
DUNDEE, . . .	4,162	161,620	38·832	12·00	83	60	14	48·0	30·1	41·9	0·34
ABERDEEN, . .	6,795	135,941	20·006	16·71	93	48	21	47·0	33·0	41·1	0·58
LEITH,	2,042	74,110	36·293	12·41	44	22	9	51·6	32·4	42·7	0·19
PAISLEY, . . .	3,538	72,902	20·605	16·47	43	31	6	51·7	32·5	43·5	0·49
GREENOCK, . .	1,440	61,781	42·903	11·41	45	20	12	50·0	36·0	43·3	0·99
PERTH,	2,122	30,427	14·339	19·74	13	17	1	49·0	31·0	41·0	0·58
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	812	521	169	54·3	27·5	42·9	0·68

Week ending Saturday, NOVEMBER 21, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 21, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	21.1	2.6	615	145	124	0	37	7	4	7	4	17	4	168	25	127	29	3	
GLASGOW, .	23.5	3.5	319	84	53	0	33	2	1	2	3	7	2	98	13	64	16	3	
EDINBURGH,	18.4	1.9	98	21	28	0	0	3	1	4	0	2	0	20	5	31	9	0	
DUNDEE, . .	19.3	1.0	60	11	16	0	1	0	0	0	0	2	0	17	3	10	0	0	
ABERDEEN, .	18.4	2.3	48	10	11	0	1	1	1	0	0	3	0	10	0	10	0	0	
LEITH, . . .	15.4	3.5	22	3	5	0	0	0	1	1	0	3	1	6	1	2	0	0	
PAISLEY, . .	22.1	2.9	31	9	7	0	2	1	0	0	1	0	1	9	0	3	3	0	
GREENOCK, .	16.8	0.0	20	3	2	0	0	0	0	0	0	0	0	2	2	3	1	0	
PERTH, . . .	29.1	0.0	17	4	2	0	0	0	0	0	0	0	0	6	1	4	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 23, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	18.1	1.7	521	136	106	0	0	12	3	10	8	15	5	118	30	94	28	3	
GLASGOW, .	18.4	2.2	246	62	44	0	0	7	0	6	5	11	2	64	13	43	15	2	
EDINBURGH,	16.5	1.0	87	22	16	0	0	1	1	2	1	0	1	19	2	19	6	0	
DUNDEE, . .	17.2	1.0	53	10	12	0	0	0	1	0	0	2	0	9	3	11	2	0	
ABERDEEN, .	23.3	2.7	60	24	14	0	0	3	0	2	1	1	1	15	2	9	1	1	
LEITH, . . .	13.5	0.0	19	5	5	0	0	0	0	0	0	0	1	1	6	1	0	0	
PAISLEY, . .	18.9	1.5	26	4	8	0	0	1	0	0	0	1	0	5	1	10	2	0	
GREENOCK, .	18.4	0.8	22	8	4	0	0	0	1	0	0	0	0	4	2	1	2	0	
PERTH, . . .	13.7	1.7	8	1	3	0	0	0	0	0	1	0	0	1	1	0	0	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 48. WEEK ENDING SATURDAY, NOVEMBER 28, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 28, 1896, was 20·3 per thousand of estimated population. This rate is 2·9 above that for the corresponding week of last year, but 0·8 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 12·6 per thousand; and the highest in Perth, viz., 29·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being 0·2 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 141, being 27 below the number for the previous week.

The Mean Temperature was 45°·3, being 3°·0 above that for the week immediately preceding, and 2°·6 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 28, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Nov. 28, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	941	592	233	56·0	36·3	45·3	0·09
*GLASGOW, . . .	11,861	705,052	59·443	9·70	453	293	120	53·0	36·9	45·8	0·03
*EDINBURGH, . .	6,166	276,514	44·845	11·16	148	87	40	53·7	36·3	44·7	0·17
DUNDEE, . . .	4,162	161,620	38·832	12·00	89	68	14	53·3	38·8	44·8	0·11
ABERDEEN, . .	6,795	135,941	20·006	16·71	92	61	21	56·0	37·0	43·9	0·10
LEITH,	2,042	74,110	36·293	12·41	52	25	9	53·7	37·3	45·9	0·11
PAISLEY, . . .	3,538	72,902	20·605	16·47	47	26	14	51·9	38·0	45·8	0·01
GREENOCK, . .	1,440	61,781	42·903	11·41	37	15	11	51·7	38·0	45·2	0·05
PERTH,	2,122	30,427	14·339	19·74	23	17	4	52·5	39·0	46·0	0·11
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	818	503	213	49·4	31·1	42·7	0·35

* No change will be made as regards Glasgow and Edinburgh, as extended by the recent Acts, until the end of the year.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

[TURN OVER.]

Week ending Saturday, NOVEMBER 28, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 28, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·3	2·8	592	138	123	0	33	7	9	9	8	15	5	141	18	111	28	4
GLASGOW, .	21·6	4·0	293	55	51	0	27	2	4	6	5	10	3	58	12	57	14	4
EDINBURGH,	16·4	1·3	87	20	23	0	0	0	2	3	0	2	1	24	3	18	9	0
DUNDEE, . .	21·9	1·0	68	25	15	0	0	0	1	0	1	1	0	22	2	7	1	0
ABERDEEN, .	23·3	3·8	61	21	13	0	4	3	1	0	0	2	0	16	0	10	0	0
LEITH, . . .	17·5	2·1	25	6	6	0	0	2	1	0	0	0	1	7	0	7	1	0
PAISLEY, . .	18·5	1·4	26	6	7	0	2	0	0	0	0	0	0	7	0	3	3	0
GREENOCK, .	12·6	1·7	15	1	2	0	0	0	0	0	2	0	0	3	1	5	0	0
PERTH, . . .	29·1	0·0	17	4	6	0	0	0	0	0	0	0	0	4	0	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 30, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17·4	1·7	503	125	120	0	1	8	6	11	5	18	4	103	22	87	35	4
GLASGOW, .	16·4	1·5	219	49	46	0	0	3	1	9	2	5	3	40	12	45	14	3
EDINBURGH,	17·5	1·3	92	19	30	0	0	4	1	0	2	0	0	14	2	19	13	0
DUNDEE, . .	21·1	2·3	65	20	13	0	0	1	2	0	0	4	0	22	2	7	3	0
ABERDEEN, .	20·2	3·1	52	23	8	0	0	0	0	1	0	7	0	12	2	8	1	0
LEITH, . . .	11·4	0·0	16	4	6	0	0	0	0	0	0	0	0	2	1	0	0	0
PAISLEY, . .	16·7	1·5	23	5	6	0	0	0	1	0	0	1	1	8	2	6	0	0
GREENOCK, .	18·4	3·4	22	3	6	0	1	0	0	1	1	1	0	3	1	1	3	1
PERTH, . . .	24·0	1·7	14	2	5	0	0	0	1	0	0	0	0	2	0	1	1	0

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 49. WEEK ENDING SATURDAY, DECEMBER 5, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 5, 1896, was 14·3 per thousand of estimated population. This rate is 5·2 below that for the corresponding week of last year, and 6·0 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 12·6 per thousand; and the highest in Perth, viz., 23·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 1·7 per thousand, being 1·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 107, being 34 below the number for the previous week.

The Mean Temperature was 38°·4, being 6°·9 below that for the week immediately preceding, and 1°·9 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 5, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Aeres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Dec. 5, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	638	418	188	49·9	22·0	38·4	1·14
*GLASGOW, . . .	11,861	705,052	59·443	9·70	296	191	80	49·9	22·2	38·0	0·75
*EDINBURGH, . .	6,166	276,514	44·845	11·16	111	69	42	47·0	23·8	38·5	0·70
DUNDEE, . . .	4,162	161,620	38·832	12·00	71	44	15	44·9	23·8	38·5	1·61
ABERDEEN, . .	6,795	135,941	20·006	16·71	62	42	14	47·0	29·0	38·7	1·89
LEITH, . . .	2,042	74,110	36·293	12·41	36	23	9	46·9	24·0	38·9	0·70
PAISLEY, . . .	3,538	72,902	20·605	16·47	34	20	14	49·3	23·9	37·9	0·64
GREENOCK, . .	1,440	61,781	42·903	11·41	19	15	5	48·5	25·2	38·8	0·88
PERTH, . . .	2,122	30,427	14·339	19·74	9	14	9	45·8	22·0	37·8	1·95
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	768	562	318	58·8	28·9	40·3	1·65

* No change will be made as regards Glasgow and Edinburgh, as extended by the recent Acts, until the end of the year.

Week ending Saturday, DECEMBER 5, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 5, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	14·3	1·7	418	98	84	0	26	4	2	7	3	7	2	107	14	58	35	0
GLASGOW, .	14·1	3·0	191	50	23	0	25	3	2	6	1	3	2	51	6	26	10	0
EDINBURGH,	13·0	0·2	69	13	23	0	0	0	0	1	0	0	0	16	3	15	16	0
DUNDEE, . .	14·2	1·6	44	17	8	0	0	1	0	0	2	2	0	9	0	3	3	0
ABERDEEN, .	16·1	0·4	42	4	16	0	0	0	0	0	0	1	0	5	3	5	2	0
LEITH, . . .	16·1	0·7	23	7	2	0	0	0	0	0	0	1	0	9	1	1	1	0
PAISLEY, . .	14·3	0·7	20	2	3	0	1	0	0	0	0	0	0	7	1	5	2	0
GREENOCK, .	12·6	0·0	15	4	3	0	0	0	0	0	0	0	0	6	0	0	1	0
PERTH, . . .	23·9	0·0	14	1	6	0	0	0	0	0	0	0	0	4	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 7, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·5	2·3	562	143	125	0	6	8	10	19	3	21	8	124	23	101	32	1
GLASGOW, .	19·2	2·0	257	63	48	0	1	2	6	12	1	5	6	66	9	42	17	1
EDINBURGH,	16·2	1·3	85	19	17	0	0	0	1	1	0	5	2	13	4	15	10	0
DUNDEE, . .	24·4	2·9	75	23	22	0	2	1	1	0	0	5	0	18	5	15	0	0
ABERDEEN, .	24·1	5·1	62	19	18	0	0	4	0	4	1	4	0	9	2	10	1	0
LEITH, . . .	14·2	2·8	20	4	5	0	0	1	0	1	1	1	0	4	0	7	2	0
PAISLEY, . .	19·6	0·7	27	9	7	0	0	0	1	0	0	0	0	8	1	5	1	0
GREENOCK, .	22·6	5·0	27	5	5	0	3	0	1	1	0	1	0	5	1	5	1	0
PERTH, . . .	15·4	0·0	9	1	3	0	0	0	0	0	0	0	0	1	1	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 49. WEEK ENDING SATURDAY, DECEMBER 5, 1896.

Corrected Return.—Previous Return of this Number cancelled.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 5, 1896, was 20·4 per thousand of estimated population. This rate is 0·9 above that for the corresponding week of last year, and 0·1 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 15·2 per thousand; and the highest in Perth, viz., 27·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 143, being 2 above the number for the previous week.

The Mean Temperature was 38°·4, being 6°·9 below that for the week immediately preceding, and 1°·9 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 5, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Dec. 5, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	896	596	293	49·9	22·0	38·4	1·14
*GLASGOW, . . .	11,861	705,052	59·443	9·70	434	288	125	49·9	22·2	38·0	0·75
*EDINBURGH, . .	6,166	276,514	44·845	11·16	136	96	64	47·0	23·8	38·5	0·70
DUNDEE, . . .	4,162	161,620	38·832	12·00	96	58	27	44·9	23·8	38·5	1·61
ABERDEEN, . .	6,795	135,941	20·006	16·71	91	63	20	47·0	29·0	38·7	1·89
LEITH, . . .	2,042	74,110	36·293	12·41	48	27	20	46·9	24·0	38·9	0·70
PAISLEY, . . .	3,538	72,902	20·605	16·47	44	30	18	49·3	23·9	37·9	0·64
GREENOCK, . .	1,440	61,781	42·903	11·41	33	18	10	48·5	25·2	38·8	0·88
PERTH, . . .	2,122	30,427	14·339	19·74	14	16	9	45·8	22·0	37·8	1·95
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	768	562	318	58·8	28·9	40·3	1·65

* No change will be made as regards Glasgow and Edinburgh, as extended by the recent Acts, until the end of the year.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

[TURN OVER.]

Week ending Saturday, DECEMBER 5, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 5, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20.4	2.7	596	133	127	0	40	6	9	9	3	12	4	143	16	78	47	0
GLASGOW, .	21.2	4.2	288	69	39	0	37	4	3	7	1	5	4	74	7	34	15	0
EDINBURGH,	18.1	0.4	96	15	36	0	0	0	1	1	0	0	0	22	4	22	21	0
DUNDEE, . .	18.7	1.9	58	21	12	0	0	1	1	0	2	2	0	11	0	4	4	0
ABERDEEN, .	24.1	3.1	63	12	19	0	2	1	1	1	0	3	0	7	3	7	2	0
LEITH, . . .	18.9	0.7	27	8	5	0	0	0	0	0	0	1	0	9	1	1	1	0
PAISLEY, . .	21.4	3.6	30	3	6	0	1	0	3	0	0	1	0	7	1	7	3	0
GREENOCK, .	15.2	0.0	18	4	4	0	0	0	0	0	0	0	0	8	0	0	1	0
PERTH, . . .	27.4	0.0	16	1	6	0	0	0	0	0	0	0	0	5	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 7, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19.5	2.3	562	143	125	0	6	8	10	19	3	21	8	124	23	101	32	1
GLASGOW, .	19.2	2.0	257	63	48	0	1	2	6	12	1	5	6	66	9	42	17	1
EDINBURGH,	16.2	1.3	85	19	17	0	0	0	1	1	0	5	2	13	4	15	10	0
DUNDEE, . .	24.4	2.9	75	23	22	0	2	1	1	0	0	5	0	18	5	15	0	0
ABERDEEN, .	24.1	5.1	62	19	18	0	0	4	0	4	1	4	0	9	2	10	1	0
LEITH, . . .	14.2	2.8	20	4	5	0	0	1	0	1	1	1	0	4	0	7	2	0
PAISLEY, . .	19.6	0.7	27	9	7	0	0	0	1	0	0	0	0	8	1	5	1	0
GREENOCK, .	22.6	5.0	27	5	5	0	3	0	1	1	0	1	0	5	1	5	1	0
PERTH, . . .	15.4	0.0	9	1	3	0	0	0	0	0	0	0	0	1	1	2	0	0

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 50. WEEK ENDING SATURDAY, DECEMBER 12, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 12, 1896, was 20·7 per thousand of estimated population. This rate is 1·8 above that for the corresponding week of last year, and 0·3 above that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 17·1 per thousand; and the highest in Dundee, viz., 22·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·3 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 166, being 23 above the number for the previous week.

The Mean Temperature was 41°·1, being 2°·7 above that for the week immediately preceding, and 2°·8 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 12, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Dec. 12, 1896.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	892	604	259	48·3	30·0	41·1	1·42
*GLASGOW, . . .	11,861	705,052	59·443	9·70	459	297	113	47·2	34·0	41·2	1·38
*EDINBURGH, . .	6,166	276,514	44·845	11·16	152	91	50	47·7	33·0	41·0	0·86
DUNDEE, . . .	4,162	161,620	38·832	12·00	79	71	20	44·8	32·0	39·9	1·72
ABERDEEN, . .	6,795	135,941	20·006	16·71	72	58	32	47·0	30·0	41·8	2·32
LEITH,	2,042	74,110	36·293	12·41	40	26	12	46·4	35·1	41·7	0·90
PAISLEY, . . .	3,538	72,902	20·605	16·47	51	25	11	48·3	35·2	41·7	1·04
GREENOCK, . .	1,440	61,781	42·903	11·41	30	24	13	48·2	34·0	41·2	1·67
PERTH,	2,122	30,427	14·339	19·74	9	12	8	46·0	31·5	40·2	1·44
Corresponding Week of 1895. — Eight Towns.	38,126	1,500,435	39·355	11·92	841	546	253	51·0	28·0	38·3	0·77

* No change will be made as regards Glasgow and Edinburgh, as extended by the recent Acts, until the end of the year.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co., Old Fishmarket Close, and sold by JOHN MENZIES & CO., 12 Halover Street, Edinburgh, and 90 West Nile Street, Glasgow.

[TURN OVER.

Week ending Saturday, DECEMBER 12, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 12, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	20·7	2·3	604	156	128	0	37	7	2	9	2	11	4	166	22	114	25	3	
GLASGOW, .	21·9	3·4	297	72	47	0	30	3	1	5	1	6	3	84	12	54	15	1	
EDINBURGH,	17·1	0·9	91	31	21	0	0	2	0	1	0	2	0	25	1	21	8	0	
DUNDEE, . .	22·8	1·6	71	15	21	0	2	1	0	1	1	0	0	23	4	6	0	1	
ABERDEEN, .	22·2	1·5	58	15	14	0	2	1	1	0	0	0	0	13	3	20	0	0	
LEITH, . . .	18·2	0·7	26	9	8	0	0	0	0	1	0	0	0	10	1	6	2	0	
PAISLEY, . .	17·8	2·9	25	4	8	0	2	0	0	1	0	1	0	5	0	4	0	0	
GREENOCK, .	20·2	1·7	24	6	6	0	1	0	0	0	0	1	1	3	1	1	0	1	
PERTH, . . .	20·5	1·7	12	4	3	0	0	0	0	0	0	1	0	3	0	2	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 14, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	18·9	2·4	546	128	123	1	10	8	5	24	4	17	7	90	33	103	37	0	
GLASGOW, .	19·1	2·7	255	57	55	*1	5	5	2	15	1	7	1	43	16	66	19	0	
EDINBURGH,	15·4	0·8	81	13	21	0	0	1	0	1	2	0	0	12	6	18	9	0	
DUNDEE, . .	18·8	3·2	58	17	15	0	0	0	2	4	0	4	1	8	3	5	3	0	
ABERDEEN, .	22·2	3·1	57	18	11	0	0	2	0	3	1	2	1	15	1	4	1	0	
LEITH, . . .	18·5	2·1	26	11	5	0	0	0	1	1	0	1	1	3	1	3	1	0	
PAISLEY, . .	15·3	0·7	21	2	6	0	0	0	0	0	0	1	1	6	1	2	1	0	
GREENOCK, .	26·0	5·9	31	7	6	0	5	0	0	0	0	2	1	2	4	3	1	0	
PERTH, . . .	29·2	0·0	17	3	4	0	0	0	0	0	0	0	1	1	1	2	2	0	

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 51. WEEK ENDING SATURDAY, DECEMBER 19, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 19, 1896, was 21·0 per thousand of estimated population. This rate is 1·8 above that for the corresponding week of last year, and 0·3 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 13·5 per thousand; and the highest in Perth, viz., 25·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·3 per thousand, being 1·0 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 119, being 47 below the number for the previous week.

The Mean Temperature was 34°·5, being 6°·6 below that for the week immediately preceding, and 2°·3 below that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 19, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Dec. 19, 1896.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	923	614	246	44·8	21·1	34·5	0·55
*GLASGOW, . . .	11,861	705,052	59·443	9·70	459	319	101	44·8	21·1	33·8	0·03
*EDINBURGH, . . .	6,166	276,514	44·845	11·16	126	112	57	42·0	29·0	34·3	0·61
DUNDEE, . . .	4,162	161,620	38·832	12·00	92	55	8	40·8	27·8	34·6	0·86
ABERDEEN, . . .	6,795	135,941	20·006	16·71	80	44	37	44·0	28·0	35·5	1·41
LEITH,	2,042	74,110	36·293	12·41	50	25	14	40·7	31·9	35·6	0·72
PAISLEY,	3,538	72,902	20·605	16·47	52	28	9	42·9	26·1	34·6	0·06
GREENOCK, . . .	1,440	61,781	42·903	11·41	41	16	9	42·5	28·0	34·8	0·06
PERTH,	2,122	30,427	14·339	19·74	23	15	11	41·0	22·5	32·9	0·64
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	814	553	206	50·5	21·0	36·8	0·49

* No change will be made as regards Glasgow and Edinburgh, as extended by the recent Acts, until the end of the year.

23 DEC 1896

Week ending Saturday, DECEMBER 19, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 19, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·0	3·3	614	126	119	0	54	5	7	7	6	16	2	119	17	127	31	5
GLASGOW, .	23·5	5·3	319	64	43	0	45	2	5	5	4	11	2	73	7	55	16	2
EDINBURGH,	21·1	1·1	112	19	30	0	2	1	1	2	0	0	0	17	3	36	10	0
DUNDEE, . .	17·7	1·0	55	9	10	0	0	0	0	0	1	2	0	10	3	12	1	1
ABERDEEN, .	16·8	1·9	44	15	19	0	2	1	0	0	0	2	0	6	0	6	2	1
LEITH, . . .	17·5	0·7	25	9	6	0	0	0	1	0	0	0	0	4	1	2	0	0
PAISLEY, . .	20·0	4·3	28	3	7	0	5	0	0	0	0	1	0	4	1	6	0	0
GREENOCK, .	13·5	0·0	16	4	2	0	0	0	0	0	0	0	0	4	1	4	1	0
PERTH, . . .	25·6	3·4	15	3	2	0	0	1	0	0	1	0	0	1	1	6	1	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 21, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·2	2·9	553	98	121	0	17	13	11	23	8	11	3	100	26	122	39	2
GLASGOW, .	19·7	2·8	263	48	49	0	7	5	2	15	6	3	1	53	13	65	16	2
EDINBURGH,	17·5	2·7	92	14	23	0	0	3	5	1	0	5	1	11	4	23	14	0
DUNDEE, . .	17·9	1·9	55	10	13	0	0	0	1	3	1	1	0	11	2	11	1	0
ABERDEEN, .	19·8	2·7	51	14	12	0	0	2	0	4	1	0	0	13	3	9	2	0
LEITH, . . .	16·4	2·8	23	1	7	0	0	2	2	0	0	0	0	4	2	5	0	0
PAISLEY, . .	15·3	0·7	21	6	6	0	0	1	0	0	0	0	0	2	1	3	3	0
GREENOCK, .	33·5	10·9	40	4	6	0	10	0	1	0	0	2	1	5	1	6	2	0
PERTH, . . .	13·7	0·0	8	1	5	0	0	0	0	0	0	0	0	1	0	0	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 52. WEEK ENDING SATURDAY, DECEMBER 26, 1896.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 26, 1896, was 22·1 per thousand of estimated population. This rate is 2·1 above that for the corresponding week of last year, and 1·1 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 12·0 per thousand; and the highest in Glasgow, viz., 26·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·7 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 151, being 32 above the number for the previous week.

The Mean Temperature was 36°·6, being 2°·1 above that for the week immediately preceding, and 1°·3 above that for the corresponding week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 26, 1896, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Dec. 26, 1896.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	805	644	286	57·0	19·9	36·6	1·15
*GLASGOW, . . .	11,861	705,052	59·443	9·70	391	352	121	55·0	19·9	36·4	0·95
*EDINBURGH, . .	6,166	276,514	44·845	11·16	116	96	58	56·2	28·9	37·8	0·75
DUNDEE, . . .	4,162	161,620	38·832	12·00	81	73	19	52·9	24·7	35·7	0·66
ABERDEEN, . .	6,795	135,941	20·006	16·71	82	51	52	53·0	28·0	36·8	1·03
LEITH,	2,042	74,110	36·293	12·41	44	20	6	57·0	29·9	39·4	0·57
PAISLEY, . . .	3,538	72,902	20·605	16·47	41	27	15	54·7	22·0	36·4	1·43
GREENOCK, . .	1,440	61,781	42·903	11·41	41	18	10	50·2	27·5	36·5	2·83
PERTH,	2,122	30,427	14·339	19·74	9	7	5	50·0	20·5	33·7	1·00
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	755	578	383	42·2	22·0	35·3	0·63

* No change will be made as regards Glasgow and Edinburgh, as extended by the recent Acts, until the end of the year.

EDINBURGH: Printed for Her Majesty's Stationery Office by NEILL & Co. Old Fishmarket Close, and sold by JOHN MENZIES & Co., 12 Hanover Street, Edinburgh, and 90 West Nile Street, Glasgow.

[TURN OVER.]

Week ending Saturday, DECEMBER 26, 1896.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 26, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	22·1	3·7	644	134	128	1	48	8	4	26	4	16	1	151	26	94	31	5	
GLASGOW, .	26·0	5·7	352	70	63	*1	41	5	0	20	2	8	0	85	16	52	13	4	
EDINBURGH,	18·1	0·8	96	21	26	0	0	0	0	3	1	0	0	24	1	23	12	1	
DUNDEE, . .	23·5	2·9	73	14	10	0	0	2	0	2	1	4	1	15	5	9	0	0	
ABERDEEN, .	19·5	2·7	51	17	13	0	3	1	0	0	0	3	0	14	0	5	1	0	
LEITH, . . .	14·0	1·4	20	7	5	0	0	0	1	1	0	0	0	3	0	1	1	0	
PAISLEY, . .	19·3	3·6	27	2	5	0	4	0	0	0	0	1	0	5	1	1	1	0	
GREENOCK, .	15·2	1·7	18	3	3	0	0	0	2	0	0	0	0	4	3	2	3	0	
PERTH, . . .	12·0	1·7	7	0	3	0	0	0	1	0	0	0	0	1	0	1	0	0	

* Chickenpox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 28, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·0	2·7	578	136	131	0	7	9	5	35	7	14	3	139	19	95	39	5
GLASGOW, .	21·0	2·4	281	64	51	0	3	2	2	20	3	2	2	71	11	35	21	3
EDINBURGH,	16·5	2·3	87	17	27	0	1	2	2	3	3	1	1	21	0	33	9	1
DUNDEE, . .	20·8	2·9	64	15	18	0	1	0	0	3	0	5	0	17	2	9	1	0
ABERDEEN, .	19·4	6·2	50	18	8	0	0	3	1	7	1	4	0	8	1	7	0	0
LEITH, . . .	15·7	1·4	22	3	4	0	0	1	0	0	0	1	0	3	3	4	1	0
PAISLEY, . .	19·6	1·5	27	10	7	0	0	0	0	1	0	1	0	5	1	1	4	1
GREENOCK, .	32·7	3·4	39	8	13	0	2	1	0	1	0	0	0	11	1	4	3	0
PERTH, . . .	13·7	0·0	8	1	3	0	0	0	0	0	0	0	0	3	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 53. WEEK ENDING SATURDAY, JANUARY 2, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 2, 1897, was 22·4 per thousand of estimated population. This rate is 0·3 above that for the previous week.

The lowest mortality was recorded in Greenock, viz., 16·8 per thousand ; and the highest in Dundee, viz., 23·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·5 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 145, being 6 below the number for the previous week.

The Mean Temperature was 42°·1, being 5°·5 above that for the week immediately preceding, and 6°·8 above that for the last week of 1895.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 2, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1896.	Persons to an Acre. 1896.	Prox- imity in Yards.	Registered during the Week ending Jan. 2, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	38,126	1,518,347	39·824	11·85	900	655	729	55·0	28·6	42·1	1·36
*GLASGOW, . . .	11,861	705,052	59·443	9·70	434	322	349	51·8	30·3	42·6	2·47
*EDINBURGH, . .	6,166	276,514	44·845	11·16	138	118	131	51·6	31·6	42·3	0·51
DUNDEE, . . .	4,162	161,620	38·832	12·00	92	74	63	48·4	28·6	40·3	0·43
ABERDEEN, . .	6,795	135,941	20·006	16·71	82	51	83	55·0	32·0	40·1	0·41
LEITH,	2,042	74,110	36·293	12·41	46	29	29	52·4	33·6	43·9	0·51
PAISLEY, . . .	3,538	72,902	20·605	16·47	45	28	13	51·3	33·2	42·8	2·49
GREENOCK, . .	1,440	61,781	42·903	11·41	47	20	43	52·7	34·2	42·1	3·35
PERTH,	2,122	30,427	14·339	19·74	16	13	18	51·5	33·5	42·3	0·68
Corresponding Week of 1895.—Eight Towns.	38,126	1,500,435	39·355	11·92	755	578	383	42·2	22·0	35·3	0·63

* No change will be made as regards Glasgow and Edinburgh, as extended by the recent Acts, until the end of the year.

Week ending Saturday, JANUARY 2, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 2, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	22.4	3.5	655	153	149	0	60	5	4	15	3	16	6	145	25	133	50	4		
GLASGOW, .	23.7	4.8	322	68	61	0	44	2	1	12	1	5	3	67	11	64	23	3		
EDINBURGH,	22.2	2.1	118	28	29	0	2	1	2	1	0	5	0	29	6	26	18	0		
DUNDEE, . .	23.8	2.3	74	19	22	0	1	0	0	0	1	5	0	23	4	12	3	0		
ABERDEEN, .	19.5	3.8	51	13	14	0	9	1	0	0	0	0	0	10	2	11	2	1		
LEITH, . . .	20.4	0.7	29	11	7	0	0	1	0	0	0	0	2	7	2	4	0	0		
PAISLEY, . .	20.0	4.3	28	3	7	0	4	0	0	1	0	1	1	6	0	7	0	0		
GREENOCK, .	16.8	0.8	20	8	5	0	0	0	1	0	0	0	0	2	0	6	4	0		
PERTH, . . .	22.2	3.4	13	3	4	0	0	0	0	1	1	0	0	1	0	3	0	0		

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 28, 1895.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	20.0	2.7	578	136	131	0	7	9	5	35	7	14	3	139	19	95	39	5		
GLASGOW, .	21.0	2.4	281	64	51	0	3	2	2	20	3	2	2	71	11	35	21	3		
EDINBURGH,	16.5	2.3	87	17	27	0	1	2	2	3	3	1	1	21	0	33	9	1		
DUNDEE, . .	20.8	2.9	64	15	18	0	1	0	0	3	0	5	0	17	2	9	1	0		
ABERDEEN, .	19.4	6.2	50	18	8	0	0	3	1	7	1	4	0	8	1	7	0	0		
LEITH, . . .	15.7	1.4	22	3	4	0	0	1	0	0	0	1	0	3	3	4	1	0		
PAISLEY, . .	19.6	1.5	27	10	7	0	0	0	0	1	0	1	0	5	1	1	4	1		
GREENOCK, .	32.7	3.4	39	8	13	0	2	1	0	1	0	0	0	11	1	4	3	0		
PERTH, . . .	13.7	0.0	8	1	3	0	0	0	0	0	0	0	0	3	0	2	0	0		